

PROJEKTOWANE KRAWĘŻNIKI, ŚCIEKI, BARIERY STALOWE OCHRONNE

Krawężniki bet. 15x30cm		
Orientacyjny kilometrarz	str.	[m]
od km 0+000.00 do km0+043.80	L	47.2
od km 0+000.00 do km0+059.92	P	48.7
km 0+916.20	L	32.7
km 0+960.20	P	20.0
od km 4+334.44 do km 4+983.91	L	533.7
km 4+413.29	P	29.5
km 4+887.81	P	23.5
km 6+411.53	L	20.0
km 6+473.63	P	20.0
od km 7+911.21 do km 8+028.37	P	95.8
km 9+611.54	L	5.2
km 9+802.89	L	18.3
km 9+969.89	L	19.1
km 10+000.00	P	25.6
km 11+461.55	L	20.0
km 11+518.72	P	20.0
km 12+905.40	L	30.6
km 12+980.31	P	24.6
od km 13+862.38 do km 14+258.77	P	194.0
od km 14+030.22 do km 14+260.05	L	163.3
od km 15+302.07 do km 15+924.99	P	499.8
od km 15+657.90 do km 15+771.95	L	84.7
km 16+682.50	L	24.0
km 16+743.44	P	24.0
km 17+706.32	L	20.0
km 17+764.33	P	17.9
od km 19+314.94 do km 19+431.65	L	101.6
km 19+341.49	P	35.1
od km 21+001.20 do km 21+595.53	P	501.6
od km 21+013.64 do km 21+561.65	L	403.8
od km 23+662.94 do km 24+202.18	L	418.4
od km 23+754.34 do km 24+303.17	P	398.8
		3921,5

Oporniki bet. 15x25cm		
Orientacyjny kilometrarz	str.	[m]
od km 0+043.80 do km0+916.20	L	867.9
od km 0+059.92 do km 0+960.20	P	822.1
od km 0+948.69 do km 4+334.44	L	3314.0
od km 0+960.20 do km 4+413.29	P	3410.6
od km 4+455.87 do km 7+911.21	P	3381.0
od km 4+983.91 do km 9+969.89	L	4849.9
od km 10+025.77 do km 14+030.22	L	3891.8
od km 14+264.55 do km 15+512.90	L	1227.9
od km 15+771.95 do km 19+314.94	L	3487.8
od km 19+431.65 do km 21+013.64	L	1571.1
od km 21+561.65 do km 23+662.94	L	2081.7
od km 24+202.18 do km 26+052.71	L	1839.3
od km 8+028.37 do km 13+862.38	P	5589.9
od km 14+130.77 do km 15+302.07	P	1121.7
od km 15+924.99 do km 19+341.49	P	3354.2
od km 19+385.06 do km 21+001.20	P	1601.4
od km 21+595.53 do km 23+754.34	P	2140.3
od km 24+303.17 do km 26+052.71	P	1745.0
		46297,6

Krawężniki bet. 15x22cm		
Orientacyjny kilometrarz	str.	[m]
przejęcia dla pieszych	L&P	128.0

Ściek korytkowy wg KPED karta nr 01.31		
Orientacyjny kilometrarz	str.	[m]
4+517.25	L	3.0
4+540.87	L	3.0
4+564.67	L	3.0
4+594.67	L	3.0
4+624.67	L	3.0
4+654.37	L	3.0
4+684.67	L	3.0
4+714.67	L	3.0
4+744.67	L	3.0

4+774.67	L	3.0
4+804.70	L	3.0
9+987.65	L	4.0
11+480.25	L	3.0
12+953.47	P	4.0
15+317.60	P	4.0
15+384.90	P	4.0
15+508.44	P	4.0
16+721.82	P	4.0
		60.0

Ściek korytkowy wg KPED karta nr 01.11		
Orientacyjny kilometr	str.	[m]
4+517.25	L	2.0
4+540.87	L	3.5
4+564.67	L	4.0
4+594.67	L	4.0
4+624.67	L	4.0
4+654.37	L	4.0
4+684.67	L	4.0
4+714.67	L	4.5
4+744.67	L	3.5
4+774.67	L	3.0
4+804.70	L	2.5
9+987.65	L	6.0
11+480.25	L	2.0
12+953.47	P	3.0
13+961.79	L	3.5
14+284.85	L	5.0
15+317.60	P	4.0
15+384.90	P	2.5
15+508.44	P	4.5
16+721.82	P	3.0
19+302.05	L	3.5
		76.0

Ściek korytkowy wg KPED karta nr 01.06		
Orientacyjny kilometr	str.	[m]
13+961.79	L	63.3
14+264.55	L	20.0
19+302.05	L	13.2
		96.5

Ciek z kostki betonowej 2 rzędy na ławie betonowej.		
Orientacyjny kilometr	str.	[m]
14+131.63	L	137.5
15+542.22	P	172.0
19+310.94	L	83.2
		392.7

Bariery stalowe ochronne SP-06		
Orientacyjny kilometr	str.	[m]
11+168.93	L&P	316.0
14+684.04	L&P	240.0
16+107.65	L&P	228.0
		784.0

Tabela rozbiórki

Zal. Nr.7

Naw. z bet. asfaltowego gr. 8cm&podbudowa z bruku kamiennego	Naw. z bet. asfaltowego gr. 8cm&podbudowa z tłucznia	Naw. z bet. asfaltowego gr. 15cm&podbudowa z tłucznia	Płyty betonowe (trylinka)	Płyty betonowe drogowe	Kostka betonowa gr.8cm	Naw. z płytek betonowych 7x50x50cm	Beton asfaltowy gr.6cm	Krawężnik kamienny	Krawężnik betonowy	Obrzeże 8x30cm
m ²	m ²	m ²	m ²	m ²	m ²	m ²	m ²	m	m	m
3.7	17.1	32.6	348.1	45.0	125.6	229.0	56.6	150.0	1200.0	266.0
35.3	27.2	178.5	56.6		75.4	192.3			1180.0	22.0
2.0	369.7	39.2				265.4			600.0	82.3
16.4	173.1	2120.1				81.1			368.0	125.8
19.4	130.8	67.4				603.8			540.0	25.0
27.8	47.1					201.8			171.0	366.1
49.9	40.5					157.1				46.4
202.7	68.7					708.7				30.3
197.1	2286.7					30.0				56.7
28.8	59.3					32.0				75.3
52.4	50.6									160.3
3495.8	29.7									398.0
4130.2	42.4									
55.0	2307.9									
4369.8										
12686.3	5630.8	2437.8	404.7		201.0	2502.2		150.0	4059.0	1653.2

Pobocza z KLSM gr.15cm

Długość	
Strona Prawa (m)	Strona Lewa (m)
15.0	16.8
28.7	20.6
16.0	30.7
20.3	2.2
69.7	44.6
21.1	44.7
69.4	20.3
29.2	7.1
28.9	17.1
83.4	120.9
71.5	22.7
26.1	55.5
36.5	59.2
27.8	75.2
37.7	5.7
147.1	52.3
107.1	19.8
21.3	77.9
17.6	43.9
52.6	76.6
14.2	41.6
132.7	81.9
41.2	80.1
117.8	16.0
163.1	34.7
35.0	52.3
52.9	228.9
42.9	30.6
60.1	56.6
103.0	181.9
2150.7	81.4
133.6	746.8
83.7	528.2
300.5	858.5
15.5	113.7
70.3	27.4
21.6	44.9
863.0	268.3
494.5	544.8
134.8	533.1
511.5	333.5
110.9	535.9
436.3	83.9
185.7	325.0
2.0	68.0
151.0	20.1
162.4	47.7
1218.2	12.4
141.1	6.4
23.2	18.8
17.6	7.4
40.7	19.3
11.8	28.0
19.4	560.8
15.5	850.5
15.1	97.1
134.7	105.5
211.3	59.8
110.6	136.5
104.2	42.1
342.2	15.9
637.7	50.5
1146.4	94.8
260.9	614.9
875.6	573.4
55.0	1408.0
21.7	555.6
6.0	48.9
255.8	54.6
765.6	41.9
776.9	318.4
183.0	196.2
266.1	89.3
137.8	280.5
132.5	18.1
233.9	489.2
31.9	83.4
405.2	9.1
511.9	10.7
171.6	13.5
245.7	51.3
28.1	58.4
7.4	12.4
55.3	17.2

Pobocza z KLSM gr.15cm

53.9	11.0
125.8	72.5
23.7	409.9
68.6	17.9
253.9	376.5
231.9	495.4
80.1	245.9
27.8	239.0
52.0	77.0
96.5	312.6
223.3	652.2
117.6	105.0
24.6	408.4
39.7	83.8
14.8	104.4
83.4	134.4
13.1	436.3
118.2	72.2
23.2	441.1
50.2	247.3
294.9	388.6
141.9	40.6
93.4	70.0
17.6	287.9
100.7	209.8
98.6	298.1
74.9	179.7
210.2	160.8
185.4	64.8
151.1	167.1
215.1	133.7
197.5	335.6
46.8	337.5
222.9	287.8
194.5	82.0
446.3	767.2
267.8	
335.3	
231.8	
22385	22584

TABELA WYRÓWNIANIA BETONEM ASFALTOWYM "Wb"

Zał. Nr 9

Piękierz	Powierzchnia	Odległość	Powierzchnia Śr.	Objętość
	m	m	m	m
+017.21	0.40			
+043.98	0.40	26.77	0.40	10.71
+080.17	0.21	36.19	0.31	11.04
+114.35	0.22	34.18	0.22	7.35
+154.89	0.22	40.54	0.22	8.92
+171.54	0.35	16.65	0.29	4.75
+203.72	0.41	32.18	0.38	12.23
+237.81	0.42	34.09	0.42	14.15
+287.87	0.29	50.06	0.36	17.77
+336.74	0.35	48.87	0.32	15.64
+367.32	0.26	30.58	0.31	9.33
+388.25	0.29	20.93	0.28	5.76
+423.25	0.36	35.00	0.33	11.38
+457.66	0.27	34.41	0.32	10.84
+489.80	0.28	32.14	0.28	8.84
+519.48	0.41	29.68	0.35	10.24
+546.89	0.25	27.41	0.33	9.05
+576.64	0.57	29.75	0.41	12.20
+611.41	0.37	34.77	0.47	16.34
+635.70	0.52	24.29	0.45	10.81
+662.56	0.37	26.86	0.45	11.95
+705.49	0.48	42.93	0.43	18.25
+740.48	0.56	34.99	0.52	18.19
+784.02	0.39	43.54	0.48	20.68
+817.74	0.42	33.72	0.41	13.66
+849.38	0.18	31.64	0.30	9.49
+873.92	0.23	24.54	0.21	5.03
+909.84	0.21	35.92	0.22	7.90
+949.14	0.28	39.30	0.25	9.63
+984.71	0.22	35.57	0.25	8.89
1+014.70	0.22	29.99	0.22	6.60
1+052.60	0.57	37.90	0.40	14.97
1+079.54	0.48	26.94	0.53	14.14
1+108.51	0.29	28.97	0.39	11.15
1+139.19	0.30	30.68	0.30	9.05
1+176.07	0.53	36.88	0.42	15.31
1+203.28	0.26	27.21	0.40	10.75
1+237.98	0.32	34.70	0.29	10.06
1+261.41	0.46	23.43	0.39	9.14
1+297.51	0.52	36.10	0.49	17.69
1+327.41	0.66	29.90	0.59	17.64
1+353.44	0.30	26.03	0.48	12.49
1+390.21	0.25	36.77	0.28	10.11
1+417.81	0.22	27.60	0.24	6.49
1+448.39	0.25	30.58	0.24	7.19
1+478.14	0.32	29.75	0.29	8.48
1+514.97	0.75	36.83	0.54	19.70
1+548.84	0.22	33.87	0.49	16.43
1+578.44	0.22	29.60	0.22	6.51
1+608.05	0.33	29.61	0.28	8.14
1+626.50	0.33	18.45	0.33	6.09
1+663.43	0.54	36.93	0.44	16.06
1+680.42	0.59	16.99	0.57	9.60
1+720.65	0.53	40.23	0.56	22.53
1+758.20	0.42	37.55	0.48	17.84
1+789.20	0.21	31.00	0.32	9.77
1+811.69	0.27	22.49	0.24	5.40
1+833.89	0.19	22.20	0.23	5.11
1+863.20	0.74	29.31	0.47	13.63
1+903.22	0.23	40.02	0.49	19.41
1+938.42	0.74	35.20	0.49	17.07
1+968.25	0.43	29.83	0.59	17.45
1+997.81	0.36	29.56	0.40	11.68
2+031.66	0.50	33.85	0.43	14.56
2+067.85	0.53	36.19	0.52	18.64
2+097.51	0.42	29.66	0.48	14.09
2+135.57	0.23	38.06	0.33	12.37
2+168.40	0.21	32.83	0.22	7.22
2+203.32	0.33	34.92	0.27	9.43
2+236.53	0.34	33.21	0.34	11.13
2+265.33	0.50	28.80	0.42	12.10
2+294.34	0.53	29.01	0.52	14.94
2+328.49	0.69	34.15	0.61	20.83
2+358.34	0.59	29.85	0.64	19.10
2+388.71	0.35	30.37	0.47	14.27
2+419.05	0.60	30.34	0.48	14.41
2+450.47	0.22	31.42	0.41	12.88
2+478.34	0.54	27.87	0.38	10.59
2+509.37	0.44	31.03	0.49	15.20
2+537.31	0.34	27.94	0.39	10.90
2+570.07	0.61	32.76	0.48	15.56
2+599.22	0.43	29.15	0.52	15.16
2+629.74	0.31	30.52	0.37	11.29
2+660.44	0.28	30.70	0.30	9.06
2+690.08	0.26	29.64	0.27	8.00
2+720.12	0.17	30.04	0.22	6.46
2+751.28	0.20	31.16	0.19	5.76

TABELA WYRÓWNIANIA BETONEM ASFALTOWYM "Wb" Zał. Nr 9

Pikietaż	Powierzchnia 1	Odległość	Powierzchnia Śr.	Objętość
	m	m	m ²	m ³
2+812.19	0.82	60.91	0.51	31.06
2+841.97	0.22	29.78	0.52	15.49
2+871.80	0.44	29.83	0.33	9.84
2+902.16	0.43	30.36	0.44	13.21
2+934.86	0.27	32.70	0.35	11.45
2+966.36	0.34	31.50	0.31	9.61
2+993.87	0.22	27.51	0.28	7.70
3+023.96	0.22	30.09	0.22	6.62
3+054.24	0.47	30.28	0.35	10.45
3+083.98	0.21	29.74	0.34	10.11
3+115.18	0.28	31.20	0.25	7.64
3+151.52	0.65	36.34	0.47	16.90
3+181.03	0.49	29.51	0.57	16.82
3+211.27	0.31	30.24	0.40	12.10
3+247.92	0.24	36.65	0.28	10.08
3+272.14	0.61	24.22	0.43	10.29
3+309.68	0.22	37.54	0.42	15.58
3+339.05	0.71	29.37	0.47	13.66
3+368.18	0.49	29.13	0.60	17.48
3+395.73	0.38	27.55	0.44	11.98
3+427.87	0.61	32.14	0.50	15.91
3+458.41	0.57	30.54	0.59	18.02
3+488.07	0.69	29.66	0.63	18.69
3+519.46	0.61	31.39	0.65	20.40
3+549.96	0.36	30.50	0.49	14.79
3+582.56	0.34	32.60	0.35	11.41
3+609.63	0.57	27.07	0.46	12.32
3+639.22	0.27	29.59	0.42	12.43
3+670.11	0.26	30.89	0.27	8.19
3+709.55	0.00	39.44	0.13	5.13
3+740.05	0.00	30.50	0.00	0.00
3+770.13	0.00	30.08	0.00	0.00
3+795.30	0.00	25.17	0.00	0.00
3+825.68	0.00	30.38	0.00	0.00
3+866.33	0.00	40.65	0.00	0.00
3+892.39	0.47	26.06	0.24	6.12
3+917.48	0.41	25.09	0.44	11.04
3+947.08	0.49	29.60	0.45	13.32
3+983.27	0.22	36.19	0.36	12.85
4+013.55	0.57	30.28	0.40	11.96
4+044.89	0.60	31.34	0.59	18.33
4+073.64	0.51	28.75	0.56	15.96
4+103.69	0.31	30.05	0.41	12.32
4+133.71	0.19	30.02	0.25	7.51
4+177.63	0.22	43.92	0.21	9.00
4+205.99	0.62	28.36	0.42	11.91
4+235.08	0.67	29.09	0.65	18.76
4+264.60	0.57	29.52	0.62	18.30
4+295.90	0.23	31.30	0.40	12.52
4+328.50	0.32	32.60	0.28	8.97
4+367.45	0.00	38.95	0.16	6.23
4+405.77	0.00	38.32	0.00	0.00
4+429.73	0.00	23.96	0.00	0.00
4+450.42	0.00	20.69	0.00	0.00
4+482.05	0.00	31.63	0.00	0.00
4+510.23	0.00	28.18	0.00	0.00
4+538.27	0.00	28.04	0.00	0.00
4+570.79	0.00	32.52	0.00	0.00
4+600.83	0.00	30.04	0.00	0.00
4+635.05	0.00	34.22	0.00	0.00
4+661.53	0.00	26.48	0.00	0.00
4+697.77	0.00	36.24	0.00	0.00
4+729.08	0.00	31.31	0.00	0.00
4+758.91	0.00	29.83	0.00	0.00
4+795.14	0.00	36.23	0.00	0.00
4+826.61	0.00	31.47	0.00	0.00
4+884.92	0.00	58.31	0.00	0.00
4+924.49	0.00	39.57	0.00	0.00
4+949.83	0.00	25.34	0.00	0.00
4+984.67	0.42	34.84	0.21	7.32
5+011.96	0.48	27.29	0.45	12.28
5+037.39	0.34	25.43	0.41	10.43
5+074.49	0.42	37.10	0.38	14.10
5+099.89	0.36	25.40	0.39	9.91
5+127.04	0.42	27.15	0.39	10.59
5+153.56	0.35	26.52	0.39	10.21
5+180.54	0.34	26.98	0.35	9.31
5+206.95	0.55	26.41	0.45	11.75
5+232.78	0.62	25.83	0.59	15.11
5+259.57	0.55	26.79	0.59	15.67
5+283.48	0.63	23.91	0.59	14.11
5+313.98	0.65	30.50	0.64	19.52
5+346.61	0.68	32.63	0.67	21.70
5+364.51	0.24	17.90	0.46	8.23
5+391.41	0.24	26.90	0.24	6.46
5+419.48	0.20	28.07	0.22	6.18
5+445.20	0.22	25.72	0.21	5.40
5+470.96	0.22	25.76	0.22	5.67

TABELA WYRÓWNIANIA BETONEM ASFALTOWYM "Wb"

Zał. Nr 9

Pikietaż	Powierzchnia	Odległość	Powierzchnia Śr.	Objętość
	m ²	m	m ²	m ³
5+498.79	0.22	27.83	0.22	6.12
5+524.69	0.78	25.90	0.50	12.95
5+550.46	0.57	25.77	0.68	17.39
5+570.74	0.47	20.28	0.52	10.55
5+588.46	0.49	17.72	0.48	8.51
5+604.70	0.53	16.24	0.51	8.28
5+621.70	0.23	17.00	0.38	6.46
5+645.64	0.41	23.94	0.32	7.66
5+672.71	0.53	27.07	0.47	12.72
5+691.10	0.24	18.39	0.39	7.08
5+706.35	0.24	15.25	0.24	3.66
5+719.53	0.64	13.18	0.44	5.80
5+742.06	0.45	22.53	0.55	12.28
5+768.39	0.80	26.33	0.63	16.46
5+795.56	0.22	27.17	0.51	13.86
5+816.86	0.22	21.30	0.22	4.69
5+845.71	0.60	28.85	0.41	11.83
5+873.86	0.35	28.15	0.48	13.37
5+897.01	0.63	23.15	0.49	11.34
5+927.01	0.22	30.00	0.43	12.75
5+955.32	0.47	28.31	0.35	9.77
5+981.15	0.46	25.83	0.47	12.01
6+011.57	0.21	30.42	0.34	10.19
6+039.58	0.22	28.01	0.22	6.02
6+067.52	0.22	27.94	0.22	6.15
6+095.59	0.75	28.07	0.49	13.61
6+127.89	0.39	32.30	0.57	18.41
6+158.68	0.18	30.79	0.29	8.78
6+190.23	0.29	31.55	0.24	7.41
6+214.90	0.22	24.67	0.26	6.29
6+246.57	0.22	31.67	0.22	6.97
6+280.11	0.52	33.54	0.37	12.41
6+298.68	0.36	18.57	0.44	8.17
6+314.18	0.37	15.50	0.37	5.66
6+344.28	0.39	30.10	0.38	11.44
6+376.97	0.22	32.69	0.31	9.97
6+414.78	0.23	37.81	0.23	8.51
6+441.03	0.83	26.25	0.53	13.91
6+459.11	0.42	18.08	0.63	11.30
6+487.38	0.30	28.27	0.36	10.18
6+516.04	0.28	28.66	0.29	8.31
6+545.94	0.35	29.90	0.32	9.42
6+574.38	0.40	28.44	0.38	10.67
6+601.69	0.22	27.31	0.31	8.47
6+634.02	0.34	32.33	0.28	9.05
6+665.13	0.47	31.11	0.41	12.60
6+698.83	0.19	33.70	0.33	11.12
6+725.43	0.34	26.60	0.27	7.05
6+755.17	0.44	29.74	0.39	11.60
6+782.77	0.21	27.60	0.33	8.97
6+800.13	0.62	17.36	0.42	7.20
6+827.11	0.56	26.98	0.59	15.92
6+855.32	0.47	28.21	0.52	14.53
6+883.11	0.23	27.79	0.35	9.73
6+912.39	0.17	29.28	0.20	5.86
6+941.13	0.48	28.74	0.33	9.34
6+968.73	0.18	27.60	0.33	9.11
7+002.47	0.18	33.74	0.18	6.07
7+050.71	0.22	48.24	0.20	9.65
7+076.53	0.22	25.82	0.22	5.68
7+128.13	0.62	51.60	0.42	21.67
7+156.96	0.54	28.83	0.58	16.72
7+186.42	0.35	29.46	0.45	13.11
7+215.26	0.29	28.84	0.32	9.23
7+243.72	0.67	28.46	0.48	13.66
7+274.59	0.22	30.87	0.45	13.74
7+304.92	0.22	30.33	0.22	6.67
7+335.71	0.65	30.79	0.44	13.39
7+364.27	0.77	28.56	0.71	20.28
7+393.80	0.22	29.53	0.50	14.62
7+423.67	0.15	29.87	0.19	5.53
7+449.99	0.22	26.32	0.19	4.87
7+475.02	0.61	25.03	0.42	10.39
7+504.80	0.37	29.78	0.49	14.59
7+535.98	0.71	31.18	0.54	16.84
7+564.41	0.64	28.43	0.68	19.19
7+598.89	0.52	34.48	0.58	20.00
7+623.28	0.22	24.39	0.37	9.02
7+657.73	0.21	34.45	0.22	7.41
7+685.67	0.45	27.94	0.33	9.22
7+717.28	0.29	31.61	0.37	11.70
7+762.10	0.31	44.82	0.30	13.45
7+810.35	0.32	48.25	0.32	15.20
7+839.85	0.26	29.50	0.29	8.56
7+867.29	0.27	27.44	0.27	7.27
7+923.31	0.40	56.02	0.34	18.77
7+955.20	0.39	31.89	0.40	12.60
7+980.04	0.36	24.84	0.38	9.32

TABELA WYRÓWNANIA BETONEM ASFALTOWYM "Wb"

Zał. Nr 9

Pikietaż	Powierzchnia	Odległość	Powierzchnia Śr.	Objętość
	m ²	m	m ²	m ³
7+996.61	0.31	16.57	0.34	5.55
8+020.89	0.00	24.28	0.16	3.76
8+057.36	0.00	36.47	0.00	0.00
8+079.79	0.27	22.43	0.14	3.03
8+104.95	0.40	25.16	0.34	8.43
8+135.27	0.36	30.32	0.38	11.52
8+164.79	0.28	29.52	0.32	9.45
8+198.84	0.50	34.05	0.39	13.28
8+218.86	0.39	20.02	0.45	8.91
8+248.20	0.29	29.34	0.34	9.98
8+278.54	0.46	30.34	0.38	11.38
8+307.27	0.50	28.73	0.48	13.79
8+346.44	0.34	39.17	0.42	16.45
8+411.78	0.22	65.34	0.28	18.30
8+439.30	0.54	27.52	0.38	10.46
8+469.16	0.40	29.86	0.47	14.03
8+498.30	0.35	29.14	0.38	10.93
8+529.97	0.22	31.67	0.29	9.03
8+561.77	0.22	31.80	0.22	7.00
8+597.78	0.45	36.01	0.34	12.06
8+628.62	0.66	30.84	0.56	17.12
8+670.48	0.57	41.86	0.62	25.74
8+699.57	0.48	29.09	0.53	15.27
8+731.33	0.28	31.76	0.38	12.07
8+757.82	0.36	26.49	0.32	8.48
8+786.83	0.54	29.01	0.45	13.05
8+816.11	0.22	29.28	0.38	11.13
8+845.47	0.39	29.36	0.31	8.95
8+872.82	0.22	27.35	0.31	8.34
8+901.79	0.22	28.97	0.22	6.37
8+932.44	0.22	30.65	0.22	6.74
8+963.91	0.66	31.47	0.44	13.85
8+994.13	0.23	30.22	0.45	13.45
9+025.56	0.20	31.43	0.22	6.76
9+056.26	0.28	30.70	0.24	7.37
9+084.20	0.43	27.94	0.36	9.92
9+116.50	0.39	32.30	0.41	13.24
9+148.14	0.31	31.64	0.35	11.07
9+181.13	0.45	32.99	0.38	12.54
9+217.84	0.31	36.71	0.38	13.95
9+247.59	0.23	29.75	0.27	8.03
9+278.15	0.38	30.56	0.31	9.32
9+300.58	0.66	22.43	0.52	11.66
9+332.57	0.66	31.99	0.66	21.11
9+362.54	0.35	29.97	0.51	15.13
9+393.75	0.34	31.21	0.35	10.77
9+423.85	0.59	30.10	0.47	14.00
9+441.36	0.34	17.51	0.47	8.14
9+468.71	0.71	27.35	0.53	14.36
9+485.25	0.22	16.54	0.53	8.68
9+523.93	0.22	38.68	0.47	17.99
9+548.82	0.37	24.89	0.22	5.48
9+574.81	0.36	25.99	0.30	7.67
9+614.51	0.00	39.70	0.37	14.49
9+652.82	0.20	38.31	0.18	6.90
9+678.05	0.53	25.23	0.10	2.52
9+704.96	0.71	26.91	0.37	9.82
9+730.89	0.25	25.93	0.62	16.08
9+754.64	0.64	23.75	0.48	11.40
9+774.84	0.54	20.20	0.45	8.99
9+801.75	0.74	26.91	0.59	15.88
9+830.03	0.70	28.28	0.64	18.10
9+850.44	0.78	20.41	0.72	14.70
9+881.82	0.22	31.38	0.74	23.22
9+911.85	0.22	30.03	0.50	15.02
9+946.07	0.28	34.22	0.22	7.53
9+982.16	0.38	36.09	0.25	9.02
10+026.03	0.54	43.87	0.41	17.99
10+048.43	0.34	22.40	0.44	9.86
10+077.63	0.23	29.20	0.29	8.32
10+112.12	0.24	34.49	0.24	8.11
10+144.29	0.23	32.17	0.24	7.56
10+179.85	0.34	35.56	0.29	10.13
10+211.14	0.41	31.29	0.38	11.73
10+243.17	0.20	32.03	0.31	9.77
10+270.89	0.50	27.72	0.35	9.70
10+302.03	0.22	31.14	0.36	11.21
10+334.05	0.22	32.02	0.22	7.04
10+362.91	0.22	28.86	0.22	6.35
10+419.54	0.22	56.63	0.22	12.46
10+448.10	0.42	28.56	0.32	9.14
10+476.21	0.74	28.11	0.58	16.30
10+503.43	0.79	27.22	0.77	20.82
10+533.88	0.24	30.45	0.52	15.68
10+559.67	0.60	25.79	0.42	10.83
10+586.30	0.72	26.63	0.66	17.58
10+613.36	0.63	27.06	0.68	18.27
10+638.17	0.22	24.81	0.43	10.54

TABELA WYRÓWNANIA BETONEM ASFALTOWYM "Wb"

Zał. Nr 9

Planaz	Powierzchnia	Odległość	Powierzchnia Śr.	Objętość
	m ²	m	m ²	m ³
10+665.11	0.22	26.94	0.22	5.93
10+691.68	0.31	26.57	0.27	7.04
10+717.70	0.85	26.02	0.58	15.09
10+743.91	0.31	26.21	0.58	15.20
10+770.46	0.20	26.55	0.26	6.77
10+799.21	0.39	28.75	0.30	8.48
10+825.44	0.78	26.23	0.59	15.34
10+855.64	0.22	30.20	0.50	15.10
10+880.79	0.22	25.15	0.22	5.53
10+908.26	0.85	27.47	0.54	14.70
10+935.55	0.26	27.29	0.56	15.15
10+963.69	0.20	28.14	0.23	6.47
10+990.40	0.29	26.71	0.25	6.54
11+015.36	0.22	24.96	0.26	6.36
11+039.79	0.22	24.43	0.22	5.37
11+067.60	0.22	27.81	0.22	6.12
11+093.76	0.39	26.16	0.31	7.98
11+119.60	0.45	25.84	0.42	10.85
11+146.53	0.22	26.93	0.34	9.02
11+171.23	0.31	24.70	0.27	6.55
11+200.55	0.37	29.32	0.34	9.97
11+225.76	0.22	25.21	0.30	7.44
11+250.88	0.22	25.12	0.22	5.53
11+270.58	0.23	19.70	0.23	4.43
11+294.97	0.32	24.39	0.28	6.71
11+320.61	0.61	25.64	0.47	11.92
11+346.43	0.22	25.82	0.42	10.72
11+376.88	0.22	30.45	0.22	6.70
11+403.99	0.22	27.11	0.22	5.96
11+430.44	0.66	26.45	0.44	11.64
11+457.42	0.44	26.98	0.55	14.84
11+487.95	0.40	30.53	0.42	12.82
11+514.26	0.32	26.31	0.36	9.47
11+541.02	0.35	26.76	0.34	8.96
11+567.72	0.27	26.70	0.31	8.28
11+594.82	0.20	27.10	0.24	6.37
11+621.40	0.44	26.58	0.32	8.51
11+647.00	0.36	25.60	0.40	10.24
11+673.33	0.38	26.33	0.37	9.74
11+699.04	0.38	25.71	0.38	9.77
11+725.42	0.16	26.38	0.27	7.12
11+752.03	0.24	26.61	0.20	5.32
11+777.89	0.32	25.86	0.28	7.24
11+805.16	0.27	27.27	0.30	8.04
11+833.69	0.27	28.53	0.27	7.70
11+860.35	0.52	26.66	0.40	10.53
11+886.35	0.36	26.00	0.44	11.44
11+912.01	0.36	25.66	0.36	9.24
11+936.91	0.39	24.90	0.38	9.34
11+963.36	0.55	26.45	0.47	12.43
11+988.53	0.45	25.17	0.50	12.59
12+015.07	0.33	26.54	0.39	10.35
12+041.14	0.19	26.07	0.26	6.78
12+066.55	0.40	25.41	0.30	7.50
12+092.84	0.62	26.29	0.51	13.41
12+122.40	0.31	29.56	0.47	13.75
12+151.93	0.23	29.53	0.27	7.97
12+180.13	0.00	28.20	0.12	3.24
12+208.69	0.00	28.56	0.00	0.00
12+236.04	0.00	27.35	0.00	0.00
12+263.61	0.00	27.57	0.00	0.00
12+281.87	0.00	18.26	0.00	0.00
12+310.24	0.00	28.37	0.00	0.00
12+338.83	0.00	28.59	0.00	0.00
12+366.63	0.21	27.80	0.11	2.92
12+395.08	0.40	28.45	0.31	8.68
12+419.73	0.37	24.65	0.39	9.49
12+447.59	0.26	27.86	0.32	8.78
12+474.96	0.27	27.37	0.27	7.25
12+503.50	0.32	28.54	0.30	8.42
12+529.80	0.26	26.30	0.29	7.63
12+558.75	0.51	28.95	0.39	11.15
12+586.70	0.22	27.95	0.37	10.20
12+613.59	0.52	26.89	0.37	9.95
12+640.28	0.25	26.69	0.39	10.28
12+668.10	0.82	27.82	0.54	14.88
12+692.54	0.52	24.44	0.67	16.37
12+709.17	0.20	16.63	0.36	5.99
12+729.36	0.31	20.19	0.26	5.15
12+756.77	0.22	27.41	0.27	7.26
12+783.50	0.33	26.73	0.28	7.35
12+809.92	0.24	26.42	0.29	7.53
12+846.11	0.69	36.19	0.47	16.83
12+863.39	0.56	17.28	0.63	10.80
12+890.15	0.66	26.76	0.61	16.32
12+945.85	0.78	55.70	0.72	40.10
12+974.29	0.37	28.44	0.58	16.35
13+001.80	0.49	27.51	0.43	11.83

TABELA WYRÓWNIANIA BETONEM ASFALTOWYM "Wb" Zał. Nr 9

Piketaż	Powierzchnia	Odległość	Powierzchnia Śr.	Odległość
	m	m	m	m
13+029.45	0.22	27.65	0.36	9.82
13+060.20	0.73	30.75	0.48	14.61
13+089.44	0.39	29.24	0.56	16.37
13+113.12	0.30	23.68	0.35	8.17
13+141.01	0.65	27.89	0.48	13.25
13+172.03	0.57	31.02	0.61	18.92
13+200.43	0.27	28.40	0.42	11.93
13+232.35	0.35	31.92	0.31	9.90
13+260.97	0.25	28.62	0.30	8.59
13+290.36	0.81	29.39	0.53	15.58
13+319.91	0.33	29.55	0.57	16.84
13+347.81	0.35	27.90	0.34	9.49
13+375.62	0.28	27.81	0.32	8.76
13+403.48	0.44	27.86	0.36	10.03
13+430.93	0.33	27.45	0.39	10.57
13+458.50	0.19	27.57	0.26	7.17
13+485.96	0.28	27.46	0.24	6.45
13+513.54	0.38	27.58	0.33	9.10
13+541.20	0.44	27.66	0.41	11.34
13+569.09	0.40	27.89	0.42	11.71
13+595.60	0.28	26.51	0.34	9.01
13+623.01	0.24	27.41	0.26	7.13
13+649.85	0.43	26.84	0.34	8.99
13+677.29	0.39	27.44	0.41	11.25
13+704.09	0.44	26.80	0.42	11.12
13+730.83	0.22	26.74	0.33	8.82
13+758.25	0.29	27.42	0.26	6.99
13+783.97	0.30	25.72	0.30	7.59
13+809.02	0.33	25.05	0.32	7.89
13+834.36	0.41	25.34	0.37	9.38
13+859.90	0.35	25.54	0.38	9.71
13+884.37	0.28	24.47	0.32	7.71
13+910.57	0.00	26.20	0.14	3.67
13+934.92	0.00	24.35	0.00	0.00
13+965.00	0.00	30.08	0.00	0.00
13+987.12	0.00	22.12	0.00	0.00
13+999.62	0.00	12.50	0.00	0.00
14+035.73	0.00	36.11	0.00	0.00
14+059.69	0.00	23.96	0.00	0.00
14+112.81	0.00	53.12	0.00	0.00
14+126.09	0.00	13.28	0.00	0.00
14+146.20	0.00	20.11	0.00	0.00
14+183.67	0.00	37.47	0.00	0.00
14+205.66	0.00	21.99	0.00	0.00
14+230.09	0.00	24.43	0.00	0.00
14+257.37	0.00	27.28	0.00	0.00
14+275.82	0.00	18.45	0.00	0.00
14+296.38	0.00	20.56	0.00	0.00
14+327.62	0.25	31.24	0.13	3.91
14+351.87	0.36	24.25	0.31	7.40
14+380.42	0.64	28.55	0.50	14.27
14+407.94	0.50	27.52	0.57	15.69
14+433.19	0.66	25.25	0.58	14.65
14+464.23	0.64	31.04	0.65	20.18
14+482.54	0.63	18.31	0.64	11.63
14+508.32	0.33	25.78	0.48	12.37
14+533.26	0.21	24.94	0.27	6.73
14+560.89	0.44	27.63	0.33	8.98
14+589.07	0.29	28.18	0.37	10.29
14+616.18	0.55	27.11	0.42	11.39
14+636.52	0.62	20.34	0.59	11.90
14+653.65	0.72	17.13	0.67	11.48
14+670.39	0.48	16.74	0.60	10.04
14+695.30	0.68	24.91	0.58	14.45
14+723.06	0.00	27.76	0.34	9.44
14+789.94	0.42	66.88	0.21	14.04
14+817.94	0.71	28.00	0.57	15.82
14+860.60	0.38	42.66	0.55	23.25
14+905.77	0.38	45.17	0.38	17.16
14+931.29	0.31	25.52	0.35	8.80
14+957.06	0.27	25.77	0.29	7.47
14+977.46	0.53	20.40	0.40	8.16
15+000.55	0.76	23.09	0.65	14.89
15+022.76	0.80	22.21	0.78	17.32
15+053.93	0.67	31.17	0.74	22.91
15+083.57	0.59	29.64	0.63	18.67
15+111.29	0.65	27.72	0.62	17.19
15+136.48	0.61	25.19	0.63	15.87
15+161.67	0.32	25.19	0.47	11.71
15+189.74	0.52	28.07	0.42	11.79
15+216.29	0.33	26.55	0.43	11.28
15+242.73	0.46	26.44	0.40	10.44
15+269.73	0.44	27.00	0.45	12.15
15+296.94	0.47	27.21	0.46	12.38
15+323.14	0.00	26.20	0.24	6.16
15+349.99	0.00	26.85	0.00	0.00
15+382.13	0.00	32.14	0.00	0.00
15+424.32	0.00	42.19	0.00	0.00

TABELA WYRÓWNIANIA BETONEM ASFALTOWYM "Wb"

Zal. Nr 9

Planasz	Powierzchnia	Odelegosc	Powierzchnia Sr	Objetosc
	m ²	m	m ²	m ³
15+450.47	0.00	26.15	0.00	0.00
15+481.29	0.00	30.82	0.00	0.00
15+512.43	0.00	31.14	0.00	0.00
15+532.13	0.00	19.70	0.00	0.00
15+559.82	0.00	27.69	0.00	0.00
15+589.81	0.00	29.99	0.00	0.00
15+639.57	0.00	49.76	0.00	0.00
15+663.75	0.00	24.18	0.00	0.00
15+702.27	0.00	38.52	0.00	0.00
15+745.92	0.00	43.65	0.00	0.00
15+785.90	0.00	39.98	0.00	0.00
15+814.30	0.00	28.40	0.00	0.00
15+839.51	0.00	25.21	0.00	0.00
15+855.51	0.00	16.00	0.00	0.00
15+883.02	0.00	27.51	0.00	0.00
15+906.55	0.00	23.53	0.00	0.00
15+924.00	0.00	17.45	0.00	0.00
15+947.57	0.00	23.57	0.00	0.00
15+995.47	0.34	47.90	0.17	8.14
16+038.12	0.49	42.65	0.42	17.70
16+073.10	0.22	34.98	0.36	12.42
16+097.14	0.22	24.04	0.22	5.29
16+122.28	0.23	25.14	0.23	5.66
16+140.90	0.25	18.62	0.24	4.47
16+160.59	0.25	19.69	0.25	4.92
16+181.69	0.23	21.10	0.24	5.06
16+208.10	0.47	26.41	0.35	9.24
16+234.76	0.58	26.66	0.53	14.00
16+260.20	0.22	25.44	0.40	10.18
16+299.27	0.22	39.07	0.22	8.60
16+325.54	0.16	26.27	0.19	4.99
16+351.90	0.43	26.36	0.30	7.78
16+376.99	0.55	25.09	0.49	12.29
16+402.03	0.68	25.04	0.62	15.40
16+427.98	0.44	25.95	0.56	14.53
16+453.11	0.27	25.13	0.36	8.92
16+477.08	0.24	23.97	0.26	6.11
16+504.23	0.59	27.15	0.42	11.27
16+527.26	0.22	23.03	0.41	9.33
16+556.01	0.29	28.75	0.26	7.33
16+581.35	0.22	25.34	0.26	6.46
16+605.84	0.22	24.49	0.22	5.39
16+641.93	0.33	36.09	0.28	9.92
16+680.69	0.29	38.76	0.31	12.02
16+711.07	0.39	30.38	0.34	10.33
16+743.55	0.22	32.48	0.31	9.91
16+775.22	0.22	31.67	0.22	6.97
16+806.75	0.22	31.53	0.22	6.94
16+837.75	0.22	31.00	0.22	6.82
16+870.63	0.35	32.88	0.29	9.37
16+903.50	0.40	32.87	0.38	12.33
16+934.44	0.22	30.94	0.31	9.59
16+976.31	0.27	41.87	0.25	10.26
17+007.62	0.22	31.31	0.25	7.67
17+036.52	0.27	28.90	0.25	7.08
17+060.82	0.41	24.30	0.34	8.26
17+093.41	0.30	32.59	0.36	11.57
17+127.60	0.30	34.19	0.30	10.26
17+161.62	0.36	34.02	0.33	11.23
17+201.42	0.71	39.80	0.54	21.29
17+236.33	0.22	34.91	0.47	16.23
17+266.06	0.22	29.73	0.22	6.54
17+298.78	0.22	32.72	0.22	7.20
17+332.63	0.22	33.85	0.22	7.45
17+362.08	0.59	29.45	0.41	11.93
17+398.51	0.22	36.43	0.41	14.75
17+429.52	0.55	31.01	0.39	11.94
17+461.22	0.00	31.70	0.28	8.72
17+526.40	0.00	65.18	0.00	0.00
17+556.82	0.00	30.42	0.00	0.00
17+581.56	0.00	24.74	0.00	0.00
17+611.52	0.00	29.96	0.00	0.00
17+641.69	0.00	30.17	0.00	0.00
17+673.14	0.67	31.45	0.34	10.54
17+701.93	0.38	28.79	0.53	15.11
17+736.59	0.00	34.66	0.19	6.59
17+765.04	0.33	28.45	0.17	4.69
17+825.64	0.70	60.60	0.52	31.21
17+855.44	0.33	29.80	0.52	15.35
17+886.21	0.36	30.77	0.35	10.62
17+917.92	0.55	31.71	0.46	14.43
17+947.33	0.22	29.41	0.39	11.32
17+981.33	0.22	34.00	0.22	7.48
18+019.14	0.70	37.81	0.46	17.39
18+052.38	0.34	33.24	0.52	17.28
18+080.72	0.56	28.34	0.45	12.75
18+112.74	0.35	32.02	0.46	14.57
18+143.05	0.51	30.31	0.43	13.03

TABELA WYRÓWNIANIA BETONEM ASFALTOWYM "Wb"

Zal. Nr 9

Pikietaż	Powierzchnia	Odległość	Powierzchnia Śr.	Objętość
	m ²	mm	mm	mm
18+173.06	0.43	30.01	0.47	14.10
18+203.85	0.53	30.79	0.48	14.78
18+233.94	0.22	30.09	0.38	11.28
18+267.75	0.25	33.81	0.24	7.95
18+299.84	0.24	32.09	0.25	7.86
18+329.19	0.54	29.35	0.39	11.45
18+371.21	0.28	42.02	0.41	17.23
18+400.64	0.47	29.43	0.38	11.04
18+431.00	0.22	30.36	0.35	10.47
18+466.65	0.52	35.65	0.37	13.19
18+498.60	0.22	31.95	0.37	11.82
18+525.76	0.22	27.16	0.22	5.98
18+556.88	0.22	31.12	0.22	6.85
18+587.86	0.54	30.98	0.38	11.77
18+617.75	0.42	29.89	0.48	14.35
18+649.55	0.64	31.80	0.53	16.85
18+681.07	0.22	31.52	0.43	13.55
18+710.06	0.22	28.99	0.22	6.38
18+768.40	0.22	58.34	0.22	12.83
18+802.28	0.22	33.88	0.22	7.45
18+836.10	0.22	33.82	0.22	7.44
18+860.50	0.22	24.40	0.22	5.37
18+888.39	0.55	27.89	0.39	10.74
18+916.98	0.00	28.59	0.28	7.86
18+951.66	0.43	34.68	0.22	7.46
18+980.85	0.47	29.19	0.45	13.14
19+011.92	0.46	31.07	0.47	14.45
19+043.71	0.66	31.79	0.56	17.80
19+077.59	0.76	33.88	0.71	24.05
19+110.08	0.58	32.49	0.67	21.77
19+141.50	0.43	31.42	0.51	15.87
19+169.78	0.68	28.28	0.56	15.70
19+207.40	0.51	37.62	0.60	22.38
19+255.99	0.23	48.59	0.37	17.98
19+287.54	0.00	31.55	0.12	3.63
19+320.15	0.00	32.61	0.00	0.00
19+349.08	0.00	28.93	0.00	0.00
19+383.38	0.00	34.30	0.00	0.00
19+417.37	0.00	33.99	0.00	0.00
19+439.36	0.00	21.99	0.00	0.00
19+464.22	0.00	24.86	0.00	0.00
19+493.20	0.00	28.98	0.00	0.00
19+529.84	0.00	36.64	0.00	0.00
19+563.30	0.00	33.46	0.00	0.00
19+587.97	0.00	24.67	0.00	0.00
19+619.47	0.00	31.50	0.00	0.00
19+649.08	0.00	29.61	0.00	0.00
19+678.77	0.00	29.69	0.00	0.00
19+709.04	0.22	30.27	0.11	3.33
19+738.55	0.24	29.51	0.23	6.79
19+772.96	0.69	34.41	0.47	16.00
19+792.76	0.64	19.80	0.67	13.17
19+836.10	0.46	43.34	0.55	23.84
19+865.36	0.47	29.26	0.47	13.61
19+905.30	0.22	39.94	0.35	13.78
19+939.79	0.22	34.49	0.22	7.59
19+974.77	0.23	34.98	0.23	7.87
20+010.33	0.31	35.56	0.27	9.60
20+038.67	0.31	28.34	0.31	8.79
20+069.23	0.68	30.56	0.50	15.13
20+099.28	0.34	30.05	0.51	15.33
20+130.01	0.50	30.73	0.42	12.91
20+166.71	0.23	36.70	0.37	13.40
20+191.23	0.52	24.52	0.38	9.20
20+230.49	0.43	39.26	0.48	18.65
20+267.70	0.33	37.21	0.38	14.14
20+298.31	0.71	30.61	0.52	15.92
20+328.33	0.22	30.02	0.47	13.96
20+364.20	0.69	35.87	0.46	16.32
20+395.81	0.70	31.61	0.70	21.97
20+432.12	0.34	36.31	0.52	18.88
20+467.49	0.24	35.37	0.29	10.26
20+496.96	0.41	29.47	0.33	9.58
20+533.20	0.32	36.24	0.37	13.23
20+562.12	0.47	28.92	0.40	11.42
20+596.70	0.36	34.58	0.42	14.35
20+624.18	0.33	27.48	0.35	9.48
20+663.82	0.22	39.64	0.28	10.90
20+686.09	0.25	22.27	0.24	5.23
20+715.83	0.73	29.74	0.49	14.57
20+747.49	0.54	31.66	0.64	20.10
20+770.65	0.00	23.16	0.27	6.25
20+788.20	0.00	17.55	0.00	0.00
20+820.39	0.00	32.19	0.00	0.00
20+846.06	0.00	25.67	0.00	0.00
20+876.10	0.00	30.04	0.00	0.00
20+896.77	0.00	20.67	0.00	0.00
20+927.00	0.00	30.23	0.00	0.00

TABELA WYRÓWNIANIA BETONEM ASFALTOWYM "Wb" Zał. Nr 9

Podjezdz	Powierzchnia	Odległość	Powierzchnia Sr	Objętość
	m ²	m	m ²	m ³
20+957.25	0.00	30.25	0.00	0.00
20+980.44	0.00	23.19	0.00	0.00
21+000.29	0.00	19.85	0.00	0.00
21+034.87	0.00	34.58	0.00	0.00
21+063.82	0.00	28.95	0.00	0.00
21+097.95	0.00	34.13	0.00	0.00
21+140.16	0.00	42.21	0.00	0.00
21+169.98	0.00	29.82	0.00	0.00
21+191.64	0.00	21.66	0.00	0.00
21+225.85	0.00	34.21	0.00	0.00
21+254.39	0.00	28.54	0.00	0.00
21+284.15	0.00	29.76	0.00	0.00
21+315.50	0.00	31.35	0.00	0.00
21+337.70	0.00	22.20	0.00	0.00
21+365.08	0.00	27.38	0.00	0.00
21+387.54	0.00	22.46	0.00	0.00
21+415.02	0.00	27.48	0.00	0.00
21+446.45	0.00	31.43	0.00	0.00
21+474.33	0.00	27.88	0.00	0.00
21+507.46	0.00	33.13	0.00	0.00
21+528.65	0.00	21.19	0.00	0.00
21+561.65	0.00	33.00	0.00	0.00
21+596.65	0.55	35.00	0.28	9.63
21+632.24	0.24	35.59	0.40	14.06
21+661.85	0.74	29.61	0.49	14.51
21+692.47	0.57	30.62	0.66	20.06
21+719.74	0.24	27.27	0.41	11.04
21+760.72	0.24	40.98	0.24	9.84
21+791.67	0.62	30.95	0.43	13.31
21+820.90	0.29	29.23	0.46	13.30
21+851.29	0.40	30.39	0.35	10.48
21+876.70	0.50	25.41	0.45	11.43
21+906.69	0.37	29.99	0.44	13.05
21+935.98	0.63	29.29	0.50	14.65
21+966.35	0.33	30.37	0.48	14.58
21+997.22	0.55	30.87	0.44	13.58
22+038.26	0.42	41.04	0.49	19.90
22+067.91	0.47	29.65	0.45	13.19
22+093.26	0.64	25.37	0.56	14.08
22+127.60	0.60	34.32	0.62	21.28
22+163.70	0.56	36.10	0.58	20.94
22+193.97	0.22	30.27	0.39	11.81
22+224.22	0.48	30.25	0.35	10.59
22+259.83	0.53	35.61	0.51	17.98
22+291.10	0.51	31.27	0.52	16.26
22+321.77	0.39	30.67	0.45	13.80
22+354.06	0.32	32.29	0.36	11.46
22+383.88	0.34	29.82	0.33	9.84
22+413.73	0.35	29.85	0.35	10.30
22+444.49	0.53	30.76	0.44	13.53
22+475.93	0.57	31.44	0.55	17.29
22+507.24	0.55	31.31	0.56	17.53
22+540.46	0.40	33.22	0.48	15.78
22+580.24	0.00	39.78	0.20	7.96
22+638.60	0.00	58.36	0.00	0.00
22+670.31	0.00	31.71	0.00	0.00
22+704.11	0.00	33.80	0.00	0.00
22+734.36	0.00	30.25	0.00	0.00
22+764.49	0.00	30.13	0.00	0.00
22+795.38	0.00	30.89	0.00	0.00
22+834.04	0.00	38.66	0.00	0.00
22+854.28	0.00	20.24	0.00	0.00
22+882.25	0.00	27.97	0.00	0.00
22+915.65	0.00	33.40	0.00	0.00
22+946.83	0.00	31.18	0.00	0.00
22+985.17	0.00	38.34	0.00	0.00
23+015.60	0.00	30.43	0.00	0.00
23+066.59	0.00	50.99	0.00	0.00
23+093.86	0.00	27.27	0.00	0.00
23+122.98	0.31	29.12	0.16	4.51
23+153.01	0.41	30.03	0.36	10.81
23+175.87	0.40	22.86	0.41	9.26
23+206.49	0.33	30.62	0.37	11.18
23+232.45	0.48	25.96	0.41	10.51
23+271.74	0.69	39.29	0.59	22.98
23+305.18	0.34	33.44	0.52	17.22
23+325.64	0.47	20.46	0.41	8.29
23+359.30	0.55	33.66	0.51	17.17
23+401.99	0.33	42.69	0.44	18.78
23+440.84	0.43	38.85	0.38	14.76
23+465.52	0.00	24.68	0.22	5.31
23+492.87	0.37	27.35	0.19	5.06
23+553.92	0.26	61.05	0.32	19.23
23+584.05	0.00	30.13	0.13	3.92
23+614.44	0.00	30.39	0.00	0.00
23+648.89	0.00	34.45	0.00	0.00
23+688.24	0.00	39.35	0.00	0.00
23+718.03	0.00	29.79	0.00	0.00

TABELA WYRÓWNIANIA BETONEM ASFALTOWYM "Wb"

Zal. Nr 9

Pikietaż	Powierzchnia	Odległość	Powierzchnia Śr.	Objętość
	m ²	m	m ²	m ³
23+747.04	0.00	29.01	0.00	0.00
23+775.56	0.00	28.52	0.00	0.00
23+798.25	0.00	22.69	0.00	0.00
23+815.78	0.00	17.53	0.00	0.00
23+840.90	0.00	25.12	0.00	0.00
23+889.12	0.00	48.22	0.00	0.00
23+925.38	0.00	36.26	0.00	0.00
23+941.50	0.00	16.12	0.00	0.00
23+958.93	0.00	17.43	0.00	0.00
23+989.58	0.00	30.65	0.00	0.00
24+026.14	0.00	36.56	0.00	0.00
24+056.12	0.00	29.98	0.00	0.00
24+085.55	0.00	29.43	0.00	0.00
24+112.46	0.00	26.91	0.00	0.00
24+148.68	0.00	36.22	0.00	0.00
24+215.90	0.00	67.22	0.00	0.00
24+237.52	0.00	21.62	0.00	0.00
24+264.59	0.00	27.07	0.00	0.00
24+288.54	0.00	23.95	0.00	0.00
24+313.61	0.34	25.07	0.17	4.26
24+344.81	0.37	31.20	0.36	11.08
24+374.53	0.27	29.72	0.32	9.51
24+400.04	0.29	25.51	0.28	7.14
24+427.44	0.39	27.40	0.34	9.32
24+458.17	0.40	30.73	0.40	12.14
24+483.33	0.30	25.16	0.35	8.81
24+510.72	0.39	27.39	0.35	9.45
24+534.12	0.39	23.40	0.39	9.13
24+559.36	0.35	25.24	0.37	9.34
24+591.64	0.23	32.28	0.29	9.36
24+617.31	0.29	25.67	0.26	6.67
24+641.89	0.29	24.58	0.29	7.13
24+668.22	0.27	26.33	0.28	7.37
24+703.45	0.37	35.23	0.32	11.27
24+724.93	0.36	21.48	0.37	7.84
24+759.52	0.55	34.59	0.46	15.74
24+798.08	0.46	38.56	0.51	19.47
24+832.34	0.40	34.26	0.43	14.73
24+868.15	0.54	35.81	0.47	16.83
24+909.66	0.34	41.51	0.44	18.26
24+944.93	0.53	35.27	0.44	15.34
24+982.28	0.58	37.35	0.56	20.73
25+017.31	0.33	35.03	0.46	15.94
25+053.87	0.22	36.56	0.28	10.05
25+090.86	0.00	36.99	0.11	4.07
25+130.48	0.33	39.62	0.17	6.54
25+164.62	0.00	34.14	0.17	5.63
25+194.40	0.32	29.78	0.16	4.76
25+238.11	0.36	43.71	0.34	14.86
25+275.79	0.37	37.68	0.37	13.75
25+318.03	0.71	42.24	0.54	22.81
25+342.45	0.52	24.42	0.62	15.02
25+367.27	0.31	24.82	0.42	10.30
25+392.80	0.53	25.53	0.42	10.72
25+417.29	0.47	24.49	0.50	12.25
25+446.51	0.29	29.22	0.38	11.10
25+475.10	0.24	28.59	0.27	7.58
25+500.63	0.31	25.53	0.28	7.02
25+527.29	0.23	26.66	0.27	7.20
25+554.91	0.35	27.62	0.29	8.01
25+582.98	0.22	28.07	0.29	8.00
25+609.98	0.45	27.00	0.34	9.05
25+636.05	0.21	26.07	0.33	8.60
25+662.14	0.31	26.09	0.26	6.78
25+685.93	0.52	23.79	0.42	9.87
25+716.54	0.27	30.61	0.40	12.09
25+745.59	0.00	29.05	0.14	3.92
25+772.57	0.37	26.98	0.19	4.99
25+798.67	0.49	26.10	0.43	11.22
25+824.70	0.28	26.03	0.39	10.02
25+866.21	0.36	41.51	0.32	13.28
25+900.10	0.34	33.89	0.35	11.86
25+927.15	0.27	27.05	0.31	8.25
25+959.48	0.66	32.33	0.47	15.03
25+987.48	0.54	28.00	0.60	16.80
26+018.19	0.44	30.71	0.49	15.05
26+048.12	0.00	29.93	0.22	6.58
SUMA:			275	8213

TABELA WYRÓWNANIA KRUSZYWEM ŁAMANYM Zal. Nr 10

Piętrowiec	Wzrost	Wzrost	Wzrost	Wzrost
	mm	mm	mm	mm
+017.21	0.00			
+043.98	0.00	26.77	0.00	0.00
+080.17	0.00	36.19	0.00	0.00
+114.35	0.62	34.18	0.31	10.60
+154.89	0.00	40.54	0.31	12.57
+171.54	0.00	16.65	0.00	0.00
+203.72	0.00	32.18	0.00	0.00
+237.81	0.00	34.09	0.00	0.00
+287.87	0.00	50.06	0.00	0.00
+336.74	0.00	48.87	0.00	0.00
+367.32	0.00	30.58	0.00	0.00
+388.25	0.00	20.93	0.00	0.00
+423.25	0.00	35.00	0.00	0.00
+457.66	0.00	34.41	0.00	0.00
+489.80	0.00	32.14	0.00	0.00
+519.48	0.00	29.68	0.00	0.00
+546.89	0.00	27.41	0.00	0.00
+576.64	0.00	29.75	0.00	0.00
+611.41	0.00	34.77	0.00	0.00
+635.70	0.00	24.29	0.00	0.00
+662.56	0.00	26.86	0.00	0.00
+705.49	0.00	42.93	0.00	0.00
+740.48	0.00	34.99	0.00	0.00
+784.02	0.00	43.54	0.00	0.00
+817.74	0.00	33.72	0.00	0.00
+849.38	0.00	31.64	0.00	0.00
+873.92	0.00	24.54	0.00	0.00
+909.84	0.00	35.92	0.00	0.00
+949.14	0.00	39.30	0.00	0.00
+984.71	0.65	35.57	0.33	11.56
1+014.70	0.59	29.99	0.62	18.59
1+052.60	0.00	37.90	0.30	11.18
1+079.54	0.00	26.94	0.00	0.00
1+108.51	0.00	28.97	0.00	0.00
1+139.19	0.00	30.68	0.00	0.00
1+176.07	0.00	36.88	0.00	0.00
1+203.28	0.00	27.21	0.00	0.00
1+237.98	0.00	34.70	0.00	0.00
1+261.41	0.00	23.43	0.00	0.00
1+297.51	0.00	36.10	0.00	0.00
1+327.41	0.00	29.90	0.00	0.00
1+353.44	0.00	26.03	0.00	0.00
1+390.21	0.00	36.77	0.00	0.00
1+417.81	0.00	27.60	0.00	0.00
1+448.39	0.00	30.58	0.00	0.00
1+478.14	0.00	29.75	0.00	0.00
1+514.97	0.00	36.83	0.00	0.00
1+548.84	0.26	33.87	0.13	4.40
1+578.44	0.00	29.60	0.13	3.85
1+608.05	0.00	29.61	0.00	0.00
1+626.50	0.00	18.45	0.00	0.00
1+663.43	0.00	36.93	0.00	0.00
1+680.42	0.00	16.99	0.00	0.00
1+720.65	0.00	40.23	0.00	0.00
1+758.20	0.00	37.55	0.00	0.00
1+789.20	0.00	31.00	0.00	0.00
1+811.69	0.00	22.49	0.00	0.00
1+833.89	0.00	22.20	0.00	0.00
1+863.20	0.00	29.31	0.00	0.00
1+903.22	0.67	40.02	0.34	13.41
1+938.42	0.00	35.20	0.34	11.79
1+968.25	0.00	29.83	0.00	0.00
1+997.81	0.00	29.56	0.00	0.00
2+031.66	0.00	33.85	0.00	0.00
2+067.85	0.00	36.19	0.00	0.00
2+097.51	0.00	29.66	0.00	0.00
2+135.57	0.93	38.06	0.47	17.70
2+168.40	0.00	32.83	0.47	15.27
2+203.32	0.00	34.92	0.00	0.00
2+236.53	0.00	33.21	0.00	0.00
2+265.33	0.00	28.80	0.00	0.00
2+294.34	0.00	29.01	0.00	0.00
2+328.49	0.00	34.15	0.00	0.00
2+358.34	0.00	29.85	0.00	0.00
2+388.71	0.00	30.37	0.00	0.00
2+419.05	0.00	30.34	0.00	0.00
2+450.47	0.77	31.42	0.39	12.10
2+478.34	0.00	27.87	0.39	10.73
2+509.37	0.00	31.03	0.00	0.00
2+537.31	0.00	27.94	0.00	0.00
2+570.07	0.00	32.76	0.00	0.00
2+599.22	0.00	29.15	0.00	0.00
2+629.74	0.00	30.52	0.00	0.00
2+660.44	0.00	30.70	0.00	0.00
2+690.08	0.00	29.64	0.00	0.00
2+720.12	0.00	30.04	0.00	0.00
2+751.28	0.00	31.16	0.00	0.00

TABELA WYRÓWNIANIA KRUSZYWEM ŁAMANYM Zał. Nr 10

Planaz	Powierzchnia	Odegnosc	Powierzchnia Srz	Objętość
	m ²	m	m ²	m ³
2+812.19	0.00	60.91	0.00	0.00
2+841.97	0.75	29.78	0.38	11.17
2+871.80	0.00	29.83	0.38	11.19
2+902.16	0.00	30.36	0.00	0.00
2+934.86	0.00	32.70	0.00	0.00
2+966.36	0.00	31.50	0.00	0.00
2+993.87	1.41	27.51	0.71	19.39
3+023.96	0.95	30.09	1.18	35.51
3+054.24	0.00	30.28	0.48	14.38
3+083.98	0.00	29.74	0.00	0.00
3+115.18	0.00	31.20	0.00	0.00
3+151.52	0.00	36.34	0.00	0.00
3+181.03	0.00	29.51	0.00	0.00
3+211.27	0.00	30.24	0.00	0.00
3+247.92	0.00	36.65	0.00	0.00
3+272.14	0.00	24.22	0.00	0.00
3+309.68	0.70	37.54	0.35	13.14
3+339.05	0.00	29.37	0.35	10.28
3+368.18	0.00	29.13	0.00	0.00
3+395.73	0.00	27.55	0.00	0.00
3+427.87	0.00	32.14	0.00	0.00
3+458.41	0.00	30.54	0.00	0.00
3+488.07	0.00	29.66	0.00	0.00
3+519.46	0.00	31.39	0.00	0.00
3+549.96	0.00	30.50	0.00	0.00
3+582.56	0.00	32.60	0.00	0.00
3+609.63	0.00	27.07	0.00	0.00
3+639.22	0.00	29.59	0.00	0.00
3+670.11	0.00	30.89	0.00	0.00
3+709.55	0.00	39.44	0.00	0.00
3+740.05	0.00	30.50	0.00	0.00
3+770.13	0.00	30.08	0.00	0.00
3+795.30	0.00	25.17	0.00	0.00
3+825.68	0.00	30.38	0.00	0.00
3+866.33	0.00	40.65	0.00	0.00
3+892.39	0.00	26.06	0.00	0.00
3+917.48	0.00	25.09	0.00	0.00
3+947.08	0.00	29.60	0.00	0.00
3+983.27	0.39	36.19	0.20	7.06
4+013.55	0.00	30.28	0.20	5.90
4+044.89	0.00	31.34	0.00	0.00
4+073.64	0.00	28.75	0.00	0.00
4+103.69	0.00	30.05	0.00	0.00
4+133.71	0.00	30.02	0.00	0.00
4+177.63	0.00	43.92	0.00	0.00
4+205.99	0.00	28.36	0.00	0.00
4+235.08	0.00	29.09	0.00	0.00
4+264.60	0.00	29.52	0.00	0.00
4+295.90	0.00	31.30	0.00	0.00
4+328.50	0.00	32.60	0.00	0.00
4+367.45	0.00	38.95	0.00	0.00
4+405.77	0.00	38.32	0.00	0.00
4+429.73	0.00	23.96	0.00	0.00
4+450.42	0.00	20.69	0.00	0.00
4+482.05	0.00	31.63	0.00	0.00
4+510.23	0.00	28.18	0.00	0.00
4+538.27	0.00	28.04	0.00	0.00
4+570.79	0.00	32.52	0.00	0.00
4+600.83	0.00	30.04	0.00	0.00
4+635.05	0.00	34.22	0.00	0.00
4+661.53	0.00	26.48	0.00	0.00
4+697.77	0.00	36.24	0.00	0.00
4+729.08	0.00	31.31	0.00	0.00
4+758.91	0.00	29.83	0.00	0.00
4+795.14	0.00	36.23	0.00	0.00
4+826.61	0.00	31.47	0.00	0.00
4+884.92	0.00	58.31	0.00	0.00
4+924.49	0.00	39.57	0.00	0.00
4+949.83	0.00	25.34	0.00	0.00
4+984.67	0.00	34.84	0.00	0.00
5+011.96	0.00	27.29	0.00	0.00
5+037.39	0.00	25.43	0.00	0.00
5+074.49	0.00	37.10	0.00	0.00
5+099.89	0.00	25.40	0.00	0.00
5+127.04	0.00	27.15	0.00	0.00
5+153.56	0.00	26.52	0.00	0.00
5+180.54	0.00	26.98	0.00	0.00
5+206.95	0.00	26.41	0.00	0.00
5+232.78	0.00	25.83	0.00	0.00
5+259.57	0.00	26.79	0.00	0.00
5+283.48	0.00	23.91	0.00	0.00
5+313.98	0.00	30.50	0.00	0.00
5+346.61	0.00	32.63	0.00	0.00
5+364.51	0.72	17.90	0.36	6.44
5+391.41	0.85	26.90	0.79	21.12
5+419.48	0.81	28.07	0.83	23.30
5+445.20	0.72	25.72	0.77	19.68

TABELA WYRÓWNIANIA KRUSZYWEM ŁAMANYM Zał. Nr 10

Piletaż	Powierzchnia	Odegnosc	Powierzchnia Sr	Objętość
	m ²	m	m ²	m ³
5+470.96	0.71	25.76	0.72	18.42
5+498.79	1.01	27.83	0.86	23.93
5+524.69	0.00	25.90	0.51	13.08
5+550.46	0.00	25.77	0.00	0.00
5+570.74	0.00	20.28	0.00	0.00
5+588.46	0.00	17.72	0.00	0.00
5+604.70	0.00	16.24	0.00	0.00
5+621.70	0.51	17.00	0.26	4.34
5+645.64	0.00	23.94	0.26	6.10
5+672.71	0.00	27.07	0.00	0.00
5+691.10	0.51	18.39	0.26	4.69
5+706.35	0.76	15.25	0.64	9.68
5+719.53	0.00	13.18	0.38	5.01
5+742.06	0.00	22.53	0.00	0.00
5+768.39	0.00	26.33	0.00	0.00
5+795.56	0.32	27.17	0.16	4.35
5+816.86	0.36	21.30	0.34	7.24
5+845.71	0.00	28.85	0.18	5.19
5+873.86	0.00	28.15	0.00	0.00
5+897.01	0.00	23.15	0.00	0.00
5+927.01	1.16	30.00	0.58	17.40
5+955.32	0.00	28.31	0.58	16.42
5+981.15	0.00	25.83	0.00	0.00
6+011.57	0.51	30.42	0.26	7.76
6+039.58	0.45	28.01	0.48	13.44
6+067.52	0.59	27.94	0.52	14.53
6+095.59	0.00	28.07	0.30	8.28
6+127.89	0.00	32.30	0.00	0.00
6+158.68	0.00	30.79	0.00	0.00
6+190.23	0.00	31.55	0.00	0.00
6+214.90	0.70	24.67	0.35	8.63
6+246.57	0.85	31.67	0.78	24.54
6+280.11	0.00	33.54	0.43	14.25
6+298.68	0.00	18.57	0.00	0.00
6+314.18	0.00	15.50	0.00	0.00
6+344.28	0.00	30.10	0.00	0.00
6+376.97	0.59	32.69	0.30	9.64
6+414.78	0.67	37.81	0.63	23.82
6+441.03	0.00	26.25	0.34	8.79
6+459.11	0.00	18.08	0.00	0.00
6+487.38	0.00	28.27	0.00	0.00
6+516.04	0.00	28.66	0.00	0.00
6+545.94	0.00	29.90	0.00	0.00
6+574.38	0.00	28.44	0.00	0.00
6+601.69	0.00	27.31	0.00	0.00
6+634.02	0.00	32.33	0.00	0.00
6+665.13	0.00	31.11	0.00	0.00
6+698.83	0.00	33.70	0.00	0.00
6+725.43	0.00	26.60	0.00	0.00
6+755.17	0.00	29.74	0.00	0.00
6+782.77	0.00	27.60	0.00	0.00
6+800.13	0.00	17.36	0.00	0.00
6+827.11	0.00	26.98	0.00	0.00
6+855.32	0.00	28.21	0.00	0.00
6+883.11	0.00	27.79	0.00	0.00
6+912.39	0.00	29.28	0.00	0.00
6+941.13	0.00	28.74	0.00	0.00
6+968.73	0.00	27.60	0.00	0.00
7+002.47	0.00	33.74	0.00	0.00
7+050.71	1.24	48.24	0.62	29.91
7+076.53	1.24	25.82	1.24	32.02
7+128.13	0.00	51.60	0.62	31.99
7+156.96	0.00	28.83	0.00	0.00
7+186.42	0.00	29.46	0.00	0.00
7+215.26	0.00	28.84	0.00	0.00
7+243.72	0.00	28.46	0.00	0.00
7+274.59	0.83	30.87	0.42	12.81
7+304.92	1.22	30.33	1.03	31.09
7+335.71	0.00	30.79	0.61	18.78
7+364.27	0.00	28.56	0.00	0.00
7+393.80	0.00	29.53	0.00	0.00
7+423.67	0.00	29.87	0.00	0.00
7+449.99	0.64	26.32	0.32	8.42
7+475.02	0.00	25.03	0.32	8.01
7+504.80	0.00	29.78	0.00	0.00
7+535.98	0.00	31.18	0.00	0.00
7+564.41	0.00	28.43	0.00	0.00
7+598.89	0.00	34.48	0.00	0.00
7+623.28	0.59	24.39	0.30	7.20
7+657.73	0.00	34.45	0.30	10.16
7+685.67	0.00	27.94	0.00	0.00
7+717.28	0.00	31.61	0.00	0.00
7+762.10	0.00	44.82	0.00	0.00
7+810.35	0.00	48.25	0.00	0.00
7+839.85	0.00	29.50	0.00	0.00
7+867.29	0.00	27.44	0.00	0.00
7+923.31	0.00	56.02	0.00	0.00

TABELA WYRÓWNIANIA KRUSZYWEM ŁAMANYM Zał. Nr 10

PKietaz	Powierzchnia m ²	Odległość m	Powierzchnia Śr. m ²	Objętość m ³
7+955.20	0.00	31.89	0.00	0.00
7+980.04	0.00	24.84	0.00	0.00
7+996.61	0.00	16.57	0.00	0.00
8+020.89	0.00	24.28	0.00	0.00
8+057.36	0.00	36.47	0.00	0.00
8+079.79	0.00	22.43	0.00	0.00
8+104.95	0.00	25.16	0.00	0.00
8+135.27	0.00	30.32	0.00	0.00
8+164.79	0.00	29.52	0.00	0.00
8+198.84	0.00	34.05	0.00	0.00
8+218.86	0.00	20.02	0.00	0.00
8+248.20	0.00	29.34	0.00	0.00
8+278.54	0.00	30.34	0.00	0.00
8+307.27	0.00	28.73	0.00	0.00
8+346.44	0.00	39.17	0.00	0.00
8+411.78	0.76	65.34	0.38	24.83
8+439.30	0.00	27.52	0.38	10.46
8+469.16	0.00	29.86	0.00	0.00
8+498.30	0.00	29.14	0.00	0.00
8+529.97	0.89	31.67	0.45	14.09
8+561.77	0.92	31.80	0.91	28.78
8+597.78	0.00	36.01	0.46	16.56
8+628.62	0.00	30.84	0.00	0.00
8+670.48	0.00	41.86	0.00	0.00
8+699.57	0.00	29.09	0.00	0.00
8+731.33	0.00	31.76	0.00	0.00
8+757.82	0.00	26.49	0.00	0.00
8+786.83	0.00	29.01	0.00	0.00
8+816.11	0.68	29.28	0.34	9.96
8+845.47	0.00	29.36	0.34	9.98
8+872.82	0.78	27.35	0.39	10.67
8+901.79	1.58	28.97	1.18	34.18
8+932.44	1.07	30.65	1.33	40.61
8+963.91	0.00	31.47	0.54	16.84
8+994.13	0.00	30.22	0.00	0.00
9+025.56	0.00	31.43	0.00	0.00
9+056.26	0.00	30.70	0.00	0.00
9+084.20	0.00	27.94	0.00	0.00
9+116.50	0.00	32.30	0.00	0.00
9+148.14	0.00	31.64	0.00	0.00
9+181.13	0.00	32.99	0.00	0.00
9+217.84	0.00	36.71	0.00	0.00
9+247.59	0.00	29.75	0.00	0.00
9+278.15	0.00	30.56	0.00	0.00
9+300.58	0.00	22.43	0.00	0.00
9+332.57	0.00	31.99	0.00	0.00
9+362.54	0.00	29.97	0.00	0.00
9+393.75	0.00	31.21	0.00	0.00
9+423.85	0.00	30.10	0.00	0.00
9+441.36	0.00	17.51	0.00	0.00
9+468.71	0.00	27.35	0.00	0.00
9+485.25	0.73	16.54	0.00	0.00
9+523.93	0.63	38.68	0.37	14.12
9+548.82	0.00	24.89	0.68	16.93
9+574.81	0.00	25.99	0.32	8.19
9+614.51	0.00	39.70	0.00	0.00
9+652.82	0.00	38.31	0.00	0.00
9+678.05	0.00	25.23	0.00	0.00
9+704.96	0.00	26.91	0.00	0.00
9+730.89	0.90	25.93	0.00	0.00
9+754.64	0.00	23.75	0.45	10.69
9+774.84	0.00	20.20	0.45	9.09
9+801.75	0.00	26.91	0.00	0.00
9+830.03	0.00	28.28	0.00	0.00
9+850.44	0.00	20.41	0.00	0.00
9+881.82	1.17	31.38	0.00	0.00
9+911.85	0.88	30.03	0.59	17.57
9+946.07	0.00	34.22	1.03	35.08
9+982.16	0.00	36.09	0.44	15.88
10+026.03	0.00	43.87	0.00	0.00
10+048.43	0.00	22.40	0.00	0.00
10+077.63	1.03	29.20	0.52	15.04
10+112.12	0.72	34.49	0.88	30.18
10+144.29	0.58	32.17	0.65	20.91
10+179.85	0.00	35.56	0.29	10.31
10+211.14	0.00	31.29	0.00	0.00
10+243.17	0.00	32.03	0.00	0.00
10+270.89	0.00	27.72	0.00	0.00
10+302.03	0.75	31.14	0.38	11.68
10+334.05	0.54	32.02	0.65	20.65
10+362.91	0.96	28.86	0.75	21.65
10+419.54	0.68	56.63	0.82	46.44
10+448.10	0.00	28.56	0.34	9.71
10+476.21	0.00	28.11	0.00	0.00
10+503.43	0.00	27.22	0.00	0.00
10+533.88	0.79	30.45	0.40	12.03
10+559.67	0.00	25.79	0.40	10.19

TABELA WYRÓWNIANIA KRUSZYWEM ŁAMANYM Zał. Nr 10

Planaz	Powierzchnia	Odległość	Powierzchnia Str	Objętość
	m ²	m	m ²	m ³
10+586.30	0.00	26.63	0.00	0.00
10+613.36	0.00	27.06	0.00	0.00
10+638.17	0.96	24.81	0.48	11.91
10+665.11	0.58	26.94	0.77	20.74
10+691.68	0.00	26.57	0.29	7.71
10+717.70	0.00	26.02	0.00	0.00
10+743.91	0.00	26.21	0.00	0.00
10+770.46	0.00	26.55	0.00	0.00
10+799.21	0.00	28.75	0.00	0.00
10+825.44	0.00	26.23	0.00	0.00
10+855.64	0.81	30.20	0.41	12.23
10+880.79	0.96	25.15	0.89	22.26
10+908.26	0.00	27.47	0.48	13.19
10+935.55	0.00	27.29	0.00	0.00
10+963.69	0.00	28.14	0.00	0.00
10+990.40	0.00	26.71	0.00	0.00
11+015.36	0.75	24.96	0.38	9.36
11+039.79	1.19	24.43	0.97	23.70
11+067.60	0.66	27.81	0.93	25.72
11+093.76	0.00	26.16	0.33	8.63
11+119.60	0.00	25.84	0.00	0.00
11+146.53	0.60	26.93	0.30	8.08
11+171.23	0.00	24.70	0.30	7.41
11+200.55	0.00	29.32	0.00	0.00
11+225.76	0.69	25.21	0.35	8.70
11+250.88	0.62	25.12	0.66	16.45
11+270.58	0.00	19.70	0.31	6.11
11+294.97	0.00	24.39	0.00	0.00
11+320.61	0.00	25.64	0.00	0.00
11+346.43	0.88	25.82	0.44	11.36
11+376.88	1.00	30.45	0.94	28.62
11+403.99	0.66	27.11	0.83	22.50
11+430.44	0.00	26.45	0.33	8.73
11+457.42	0.00	26.98	0.00	0.00
11+487.95	0.00	30.53	0.00	0.00
11+514.26	0.00	26.31	0.00	0.00
11+541.02	0.00	26.76	0.00	0.00
11+567.72	0.00	26.70	0.00	0.00
11+594.82	0.00	27.10	0.00	0.00
11+621.40	0.00	26.58	0.00	0.00
11+647.00	0.00	25.60	0.00	0.00
11+673.33	0.00	26.33	0.00	0.00
11+699.04	0.00	25.71	0.00	0.00
11+725.42	0.00	26.38	0.00	0.00
11+752.03	0.00	26.61	0.00	0.00
11+777.89	0.00	25.86	0.00	0.00
11+805.16	0.00	27.27	0.00	0.00
11+833.69	0.00	28.53	0.00	0.00
11+860.35	0.00	26.66	0.00	0.00
11+886.35	0.00	26.00	0.00	0.00
11+912.01	0.00	25.66	0.00	0.00
11+936.91	0.00	24.90	0.00	0.00
11+963.36	0.00	26.45	0.00	0.00
11+988.53	0.00	25.17	0.00	0.00
12+015.07	0.00	26.54	0.00	0.00
12+041.14	0.00	26.07	0.00	0.00
12+066.55	0.00	25.41	0.00	0.00
12+092.84	0.00	26.29	0.00	0.00
12+122.40	0.00	29.56	0.00	0.00
12+151.93	0.00	29.53	0.00	0.00
12+180.13	0.00	28.20	0.00	0.00
12+208.69	0.00	28.56	0.00	0.00
12+236.04	0.00	27.35	0.00	0.00
12+263.61	0.00	27.57	0.00	0.00
12+281.87	0.00	18.26	0.00	0.00
12+310.24	0.00	28.37	0.00	0.00
12+338.83	0.00	28.59	0.00	0.00
12+366.63	0.00	27.80	0.00	0.00
12+395.08	0.00	28.45	0.00	0.00
12+419.73	0.00	24.65	0.00	0.00
12+447.59	0.00	27.86	0.00	0.00
12+474.96	0.00	27.37	0.00	0.00
12+503.50	0.00	28.54	0.00	0.00
12+529.80	0.00	26.30	0.00	0.00
12+558.75	0.00	28.95	0.00	0.00
12+586.70	0.69	27.95	0.35	9.64
12+613.59	0.00	26.89	0.35	9.28
12+640.28	0.00	26.69	0.00	0.00
12+668.10	0.00	27.82	0.00	0.00
12+692.54	0.00	24.44	0.00	0.00
12+709.17	0.00	16.63	0.00	0.00
12+729.36	0.00	20.19	0.00	0.00
12+756.77	0.00	27.41	0.00	0.00
12+783.50	0.00	26.73	0.00	0.00
12+809.92	0.00	26.42	0.00	0.00
12+846.11	0.00	36.19	0.00	0.00
12+863.39	0.00	17.28	0.00	0.00

TABELA WYRÓWNIANIA KRUSZYWEM ŁAMANYM Zal. Nr 10

Pikietaż	Powierzchnia	Odcieg	Powierzchnia	Objętość
	m ²	m	m ²	m ³
12+890.15	0.00	26.76	0.00	0.00
12+945.85	0.00	55.70	0.00	0.00
12+974.29	0.00	28.44	0.00	0.00
13+001.80	0.00	27.51	0.00	0.00
13+029.45	0.69	27.65	0.35	9.54
13+060.20	0.00	30.75	0.35	10.61
13+089.44	0.00	29.24	0.00	0.00
13+113.12	0.00	23.68	0.00	0.00
13+141.01	0.00	27.89	0.00	0.00
13+172.03	0.00	31.02	0.00	0.00
13+200.43	0.00	28.40	0.00	0.00
13+232.35	0.00	31.92	0.00	0.00
13+260.97	0.00	28.62	0.00	0.00
13+290.36	0.00	29.39	0.00	0.00
13+319.91	0.00	29.55	0.00	0.00
13+347.81	0.00	27.90	0.00	0.00
13+375.62	0.00	27.81	0.00	0.00
13+403.48	0.00	27.86	0.00	0.00
13+430.93	0.00	27.45	0.00	0.00
13+458.50	0.00	27.57	0.00	0.00
13+485.96	0.00	27.46	0.00	0.00
13+513.54	0.00	27.58	0.00	0.00
13+541.20	0.00	27.66	0.00	0.00
13+569.09	0.00	27.89	0.00	0.00
13+595.60	0.00	26.51	0.00	0.00
13+623.01	0.00	27.41	0.00	0.00
13+649.85	0.00	26.84	0.00	0.00
13+677.29	0.00	27.44	0.00	0.00
13+704.09	0.00	26.80	0.00	0.00
13+730.83	0.61	26.74	0.31	8.16
13+758.25	0.00	27.42	0.31	8.36
13+783.97	0.00	25.72	0.00	0.00
13+809.02	0.00	25.05	0.00	0.00
13+834.36	0.00	25.34	0.00	0.00
13+859.90	0.00	25.54	0.00	0.00
13+884.37	0.00	24.47	0.00	0.00
13+910.57	0.00	26.20	0.00	0.00
13+934.92	0.00	24.35	0.00	0.00
13+965.00	0.00	30.08	0.00	0.00
13+987.12	0.00	22.12	0.00	0.00
13+999.62	0.00	12.50	0.00	0.00
14+035.73	0.00	36.11	0.00	0.00
14+059.69	0.00	23.96	0.00	0.00
14+112.81	0.00	53.12	0.00	0.00
14+126.09	0.00	13.28	0.00	0.00
14+146.20	0.00	20.11	0.00	0.00
14+183.67	0.00	37.47	0.00	0.00
14+205.66	0.00	21.99	0.00	0.00
14+230.09	0.00	24.43	0.00	0.00
14+257.37	0.00	27.28	0.00	0.00
14+275.82	0.00	18.45	0.00	0.00
14+296.38	0.00	20.56	0.00	0.00
14+327.62	0.00	31.24	0.00	0.00
14+351.87	0.00	24.25	0.00	0.00
14+380.42	0.00	28.55	0.00	0.00
14+407.94	0.00	27.52	0.00	0.00
14+433.19	0.00	25.25	0.00	0.00
14+464.23	0.00	31.04	0.00	0.00
14+482.54	0.00	18.31	0.00	0.00
14+508.32	0.00	25.78	0.00	0.00
14+533.26	0.00	24.94	0.00	0.00
14+560.89	0.00	27.63	0.00	0.00
14+589.07	0.00	28.18	0.00	0.00
14+616.18	0.00	27.11	0.00	0.00
14+636.52	0.00	20.34	0.00	0.00
14+653.65	0.00	17.13	0.00	0.00
14+670.39	0.00	16.74	0.00	0.00
14+695.30	0.00	24.91	0.00	0.00
14+749.61	0.00	54.31	0.00	0.00
14+789.94	0.00	40.33	0.00	0.00
14+817.94	0.00	28.00	0.00	0.00
14+860.60	0.00	42.66	0.00	0.00
14+905.77	0.00	45.17	0.00	0.00
14+931.29	0.00	25.52	0.00	0.00
14+957.06	0.00	25.77	0.00	0.00
14+977.46	0.00	20.40	0.00	0.00
15+000.55	0.00	23.09	0.00	0.00
15+022.76	0.00	22.21	0.00	0.00
15+053.93	0.00	31.17	0.00	0.00
15+083.57	0.00	29.64	0.00	0.00
15+111.29	0.00	27.72	0.00	0.00
15+136.48	0.00	25.19	0.00	0.00
15+161.67	0.00	25.19	0.00	0.00
15+189.74	0.00	28.07	0.00	0.00
15+216.29	0.00	26.55	0.00	0.00
15+242.73	0.00	26.44	0.00	0.00
15+269.73	0.00	27.00	0.00	0.00

TABELA WYRÓWNIANIA KRUSZYWEM ŁAMANYM Zał. Nr 10

Piętaz	Powierzchnia	Odległość	Powierzchnia Śr.	Objętość
	m ²	m	m ²	m ³
15+296.94	0.00	27.21	0.00	0.00
15+323.14	0.00	26.20	0.00	0.00
15+349.99	0.00	26.85	0.00	0.00
15+382.13	0.00	32.14	0.00	0.00
15+424.32	0.00	42.19	0.00	0.00
15+450.47	0.00	26.15	0.00	0.00
15+481.29	0.00	30.82	0.00	0.00
15+512.43	0.00	31.14	0.00	0.00
15+532.13	0.00	19.70	0.00	0.00
15+559.82	0.00	27.69	0.00	0.00
15+589.81	0.00	29.99	0.00	0.00
15+639.57	0.00	49.76	0.00	0.00
15+663.75	0.00	24.18	0.00	0.00
15+702.27	0.00	38.52	0.00	0.00
15+745.92	0.00	43.65	0.00	0.00
15+785.90	0.00	39.98	0.00	0.00
15+814.30	0.00	28.40	0.00	0.00
15+839.51	0.00	25.21	0.00	0.00
15+855.51	0.00	16.00	0.00	0.00
15+883.02	0.00	27.51	0.00	0.00
15+906.55	0.00	23.53	0.00	0.00
15+924.00	0.00	17.45	0.00	0.00
15+947.57	0.00	23.57	0.00	0.00
15+995.47	0.00	47.90	0.00	0.00
16+038.12	0.00	42.65	0.00	0.00
16+073.10	0.74	34.98	0.37	12.94
16+097.14	0.61	24.04	0.68	16.23
16+122.28	0.67	25.14	0.64	16.09
16+140.90	0.48	18.62	0.58	10.71
16+160.59	0.74	19.69	0.61	12.01
16+181.69	0.47	21.10	0.61	12.77
16+208.10	0.00	26.41	0.24	6.21
16+234.76	0.00	26.66	0.00	0.00
16+260.20	0.57	25.44	0.29	7.25
16+299.27	0.81	39.07	0.69	26.96
16+325.54	0.00	26.27	0.41	10.64
16+351.90	0.00	26.36	0.00	0.00
16+376.99	0.00	25.09	0.00	0.00
16+402.03	0.00	25.04	0.00	0.00
16+427.98	0.00	25.95	0.00	0.00
16+453.11	0.00	25.13	0.00	0.00
16+477.08	0.00	23.97	0.00	0.00
16+504.23	0.00	27.15	0.00	0.00
16+527.26	1.14	23.03	0.57	13.13
16+556.01	0.00	28.75	0.57	16.39
16+581.35	0.63	25.34	0.32	7.98
16+605.84	1.00	24.49	0.82	19.96
16+641.93	0.00	36.09	0.50	18.05
16+680.69	0.00	38.76	0.00	0.00
16+711.07	0.00	30.38	0.00	0.00
16+743.55	0.78	32.48	0.39	12.67
16+775.22	0.70	31.67	0.74	23.44
16+806.75	0.74	31.53	0.72	22.70
16+837.75	0.60	31.00	0.67	20.77
16+870.63	0.00	32.88	0.30	9.86
16+903.50	0.00	32.87	0.00	0.00
16+934.44	0.91	30.94	0.46	14.08
16+976.31	0.00	41.87	0.46	19.05
17+007.62	0.45	31.31	0.23	7.04
17+036.52	0.00	28.90	0.23	6.50
17+060.82	0.00	24.30	0.00	0.00
17+093.41	0.00	32.59	0.00	0.00
17+127.60	0.00	34.19	0.00	0.00
17+161.62	0.00	34.02	0.00	0.00
17+201.42	0.00	39.80	0.00	0.00
17+236.33	1.19	34.91	0.60	20.77
17+266.06	1.04	29.73	1.12	33.15
17+298.78	0.40	32.72	0.72	23.56
17+332.63	0.58	33.85	0.49	16.59
17+362.08	0.00	29.45	0.29	8.54
17+398.51	0.71	36.43	0.36	12.93
17+429.52	0.00	31.01	0.36	11.01
17+461.22	0.00	31.70	0.00	0.00
17+526.40	0.00	65.18	0.00	0.00
17+556.82	0.00	30.42	0.00	0.00
17+581.56	0.00	24.74	0.00	0.00
17+611.52	0.00	29.96	0.00	0.00
17+641.69	0.00	30.17	0.00	0.00
17+673.14	0.00	31.45	0.00	0.00
17+701.93	0.00	28.79	0.00	0.00
17+736.59	0.00	34.66	0.00	0.00
17+765.04	0.00	28.45	0.00	0.00
17+825.64	0.00	60.60	0.00	0.00
17+855.44	0.00	29.80	0.00	0.00
17+886.21	0.00	30.77	0.00	0.00
17+917.92	0.00	31.71	0.00	0.00
17+947.33	0.34	29.41	0.17	5.00

TABELA WYRÓWNIANIA KRUSZYWEM ŁAMANYM Zał. Nr 10

Pikietaż	Powierzchnia	Odległość	Powierzchnia Sz	Objętość
	m ²	m	m ²	m ³
17+981.33	0.94	34.00	0.64	21.76
18+019.14	0.00	37.81	0.47	17.77
18+052.38	0.00	33.24	0.00	0.00
18+080.72	0.00	28.34	0.00	0.00
18+112.74	0.00	32.02	0.00	0.00
18+143.05	0.00	30.31	0.00	0.00
18+173.06	0.00	30.01	0.00	0.00
18+203.85	0.00	30.79	0.00	0.00
18+233.94	0.55	30.09	0.28	8.27
18+267.75	0.70	33.81	0.63	21.13
18+299.84	0.44	32.09	0.57	18.29
18+329.19	0.00	29.35	0.22	6.46
18+371.21	0.00	42.02	0.00	0.00
18+400.64	0.00	29.43	0.00	0.00
18+431.00	0.44	30.36	0.22	6.68
18+466.65	0.00	35.65	0.22	7.84
18+498.60	0.66	31.95	0.33	10.54
18+525.76	1.23	27.16	0.95	25.67
18+556.88	1.06	31.12	1.15	35.63
18+587.86	0.00	30.98	0.53	16.42
18+617.75	0.00	29.89	0.00	0.00
18+649.55	0.00	31.80	0.00	0.00
18+681.07	0.84	31.52	0.42	13.24
18+710.06	0.87	28.99	0.86	24.79
18+768.40	0.61	58.34	0.74	43.17
18+802.28	0.50	33.88	0.56	18.80
18+836.10	0.43	33.82	0.47	15.73
18+860.50	0.59	24.40	0.51	12.44
18+888.39	0.00	27.89	0.30	8.23
18+916.98	0.00	28.59	0.00	0.00
18+951.66	0.00	34.68	0.00	0.00
18+980.85	0.00	29.19	0.00	0.00
19+011.92	0.00	31.07	0.00	0.00
19+043.71	0.00	31.79	0.00	0.00
19+077.59	0.00	33.88	0.00	0.00
19+110.08	0.00	32.49	0.00	0.00
19+141.50	0.00	31.42	0.00	0.00
19+169.78	0.00	28.28	0.00	0.00
19+207.40	0.00	37.62	0.00	0.00
19+255.99	0.21	48.59	0.11	5.10
19+287.54	0.00	31.55	0.11	3.31
19+320.15	0.00	32.61	0.00	0.00
19+349.08	0.00	28.93	0.00	0.00
19+383.38	0.00	34.30	0.00	0.00
19+417.37	0.00	33.99	0.00	0.00
19+439.36	0.00	21.99	0.00	0.00
19+464.22	0.00	24.86	0.00	0.00
19+493.20	0.00	28.98	0.00	0.00
19+529.84	0.00	36.64	0.00	0.00
19+563.30	0.00	33.46	0.00	0.00
19+587.97	0.00	24.67	0.00	0.00
19+619.47	0.00	31.50	0.00	0.00
19+649.08	0.00	29.61	0.00	0.00
19+678.77	0.00	29.69	0.00	0.00
19+709.04	0.71	30.27	0.36	10.75
19+738.55	0.71	29.51	0.71	20.95
19+772.96	0.00	34.41	0.36	12.22
19+792.76	0.00	19.80	0.00	0.00
19+836.10	0.00	43.34	0.00	0.00
19+865.36	0.00	29.26	0.00	0.00
19+905.30	0.41	39.94	0.21	8.19
19+939.79	0.88	34.49	0.65	22.25
19+974.77	0.84	34.98	0.86	30.08
20+010.33	0.00	35.56	0.42	14.94
20+038.67	0.00	28.34	0.00	0.00
20+069.23	0.00	30.56	0.00	0.00
20+099.28	0.00	30.05	0.00	0.00
20+130.01	0.00	30.73	0.00	0.00
20+166.71	0.54	36.70	0.27	9.91
20+191.23	0.00	24.52	0.27	6.62
20+230.49	0.00	39.26	0.00	0.00
20+267.70	0.00	37.21	0.00	0.00
20+298.31	0.00	30.61	0.00	0.00
20+328.33	0.72	30.02	0.36	10.81
20+364.20	0.00	35.87	0.36	12.91
20+395.81	0.00	31.61	0.00	0.00
20+432.12	0.00	36.31	0.00	0.00
20+467.49	0.00	35.37	0.00	0.00
20+496.96	0.00	29.47	0.00	0.00
20+533.20	0.00	36.24	0.00	0.00
20+562.12	0.00	28.92	0.00	0.00
20+596.70	0.00	34.58	0.00	0.00
20+624.18	0.00	27.48	0.00	0.00
20+663.82	0.89	39.64	0.45	17.64
20+686.09	0.61	22.27	0.75	16.70
20+715.83	0.00	29.74	0.31	9.07
20+747.49	0.00	31.66	0.00	0.00

TABELA WYRÓWNANIA KRUSZYWEM ŁAMANYM Zał. Nr 10

Piętaz	Powierzchnia m ²	Odległość m	Powierzchnia Sz m ²	Objętość m ³
20+770.65	0.00	23.16	0.00	0.00
20+788.20	0.00	17.55	0.00	0.00
20+820.39	0.00	32.19	0.00	0.00
20+846.06	0.00	25.67	0.00	0.00
20+876.10	0.00	30.04	0.00	0.00
20+896.77	0.00	20.67	0.00	0.00
20+927.00	0.00	30.23	0.00	0.00
20+957.25	0.00	30.25	0.00	0.00
20+980.44	0.00	23.19	0.00	0.00
21+000.29	0.00	19.85	0.00	0.00
21+034.87	0.00	34.58	0.00	0.00
21+063.82	0.00	28.95	0.00	0.00
21+097.95	0.00	34.13	0.00	0.00
21+140.16	0.00	42.21	0.00	0.00
21+169.98	0.00	29.82	0.00	0.00
21+191.64	0.00	21.66	0.00	0.00
21+225.85	0.00	34.21	0.00	0.00
21+254.39	0.00	28.54	0.00	0.00
21+284.15	0.00	29.76	0.00	0.00
21+315.50	0.00	31.35	0.00	0.00
21+337.70	0.00	22.20	0.00	0.00
21+365.08	0.00	27.38	0.00	0.00
21+387.54	0.00	22.46	0.00	0.00
21+415.02	0.00	27.48	0.00	0.00
21+446.45	0.00	31.43	0.00	0.00
21+474.33	0.00	27.88	0.00	0.00
21+507.46	0.00	33.13	0.00	0.00
21+528.65	0.00	21.19	0.00	0.00
21+561.65	0.00	33.00	0.00	0.00
21+596.65	0.00	35.00	0.00	0.00
21+632.24	0.92	35.59	0.46	16.37
21+661.85	0.00	29.61	0.46	13.62
21+692.47	0.00	30.62	0.00	0.00
21+719.74	0.91	27.27	0.46	12.41
21+760.72	0.84	40.98	0.88	35.86
21+791.67	0.00	30.95	0.42	13.00
21+820.90	0.00	29.23	0.00	0.00
21+851.29	0.00	30.39	0.00	0.00
21+876.70	0.00	25.41	0.00	0.00
21+906.69	0.00	29.99	0.00	0.00
21+935.98	0.00	29.29	0.00	0.00
21+966.35	0.00	30.37	0.00	0.00
21+997.22	0.00	30.87	0.00	0.00
22+038.26	0.00	41.04	0.00	0.00
22+067.91	0.00	29.65	0.00	0.00
22+093.28	0.00	25.37	0.00	0.00
22+127.60	0.00	34.32	0.00	0.00
22+163.70	0.00	36.10	0.00	0.00
22+193.97	0.56	30.27	0.28	8.48
22+224.22	0.00	30.25	0.28	8.47
22+259.83	0.00	35.61	0.00	0.00
22+291.10	0.00	31.27	0.00	0.00
22+321.77	0.00	30.67	0.00	0.00
22+354.06	0.00	32.29	0.00	0.00
22+383.88	0.00	29.82	0.00	0.00
22+413.73	0.00	29.85	0.00	0.00
22+444.49	0.00	30.76	0.00	0.00
22+475.93	0.00	31.44	0.00	0.00
22+507.24	0.00	31.31	0.00	0.00
22+540.46	0.00	33.22	0.00	0.00
22+580.24	0.00	39.78	0.00	0.00
22+638.60	0.00	58.36	0.00	0.00
22+670.31	0.00	31.71	0.00	0.00
22+704.11	0.00	33.80	0.00	0.00
22+734.36	0.00	30.25	0.00	0.00
22+764.49	0.00	30.13	0.00	0.00
22+795.38	0.00	30.89	0.00	0.00
22+834.04	0.00	38.66	0.00	0.00
22+854.28	0.00	20.24	0.00	0.00
22+882.25	0.00	27.97	0.00	0.00
22+915.65	0.00	33.40	0.00	0.00
22+946.83	0.00	31.18	0.00	0.00
22+985.17	0.00	38.34	0.00	0.00
23+015.60	0.00	30.43	0.00	0.00
23+066.59	0.00	50.99	0.00	0.00
23+093.86	0.00	27.27	0.00	0.00
23+122.98	0.00	29.12	0.00	0.00
23+153.01	0.00	30.03	0.00	0.00
23+175.87	0.00	22.86	0.00	0.00
23+206.49	0.00	30.62	0.00	0.00
23+232.45	0.00	25.96	0.00	0.00
23+271.74	0.00	39.29	0.00	0.00
23+305.18	0.00	33.44	0.00	0.00
23+325.64	0.00	20.46	0.00	0.00
23+359.30	0.00	33.66	0.00	0.00
23+401.99	0.00	42.69	0.00	0.00
23+440.84	0.00	38.85	0.00	0.00

TABELA WYRÓWNANIA KRUSZYWEM ŁAMANYM Zał. Nr 10

Piętaz	Powierzchnia	Odciełość	Powierzchnia Śr.	Objętość
	m ²	m	m ²	m ³
23+465.52	0.00	24.68	0.00	0.00
23+492.87	0.00	27.35	0.00	0.00
23+553.92	0.00	61.05	0.00	0.00
23+584.05	0.00	30.13	0.00	0.00
23+614.44	0.00	30.39	0.00	0.00
23+648.89	0.00	34.45	0.00	0.00
23+688.24	0.00	39.35	0.00	0.00
23+718.03	0.00	29.79	0.00	0.00
23+747.04	0.00	29.01	0.00	0.00
23+775.56	0.00	28.52	0.00	0.00
23+798.25	0.00	22.69	0.00	0.00
23+815.78	0.00	17.53	0.00	0.00
23+840.90	0.00	25.12	0.00	0.00
23+889.12	0.00	48.22	0.00	0.00
23+925.38	0.00	36.26	0.00	0.00
23+941.50	0.00	16.12	0.00	0.00
23+958.93	0.00	17.43	0.00	0.00
23+989.58	0.00	30.65	0.00	0.00
24+026.14	0.00	36.56	0.00	0.00
24+056.12	0.00	29.98	0.00	0.00
24+085.55	0.00	29.43	0.00	0.00
24+112.46	0.00	26.91	0.00	0.00
24+148.68	0.00	36.22	0.00	0.00
24+215.90	0.00	67.22	0.00	0.00
24+237.52	0.00	21.62	0.00	0.00
24+264.59	0.00	27.07	0.00	0.00
24+288.54	0.00	23.95	0.00	0.00
24+313.61	0.00	25.07	0.00	0.00
24+344.81	0.00	31.20	0.00	0.00
24+374.53	0.00	29.72	0.00	0.00
24+400.04	0.00	25.51	0.00	0.00
24+427.44	0.00	27.40	0.00	0.00
24+458.17	0.00	30.73	0.00	0.00
24+483.33	0.00	25.16	0.00	0.00
24+510.72	0.00	27.39	0.00	0.00
24+534.12	0.00	23.40	0.00	0.00
24+559.36	0.00	25.24	0.00	0.00
24+591.64	0.00	32.28	0.00	0.00
24+617.31	0.00	25.67	0.00	0.00
24+641.89	0.00	24.58	0.00	0.00
24+668.22	0.00	26.33	0.00	0.00
24+703.45	0.00	35.23	0.00	0.00
24+724.93	0.00	21.48	0.00	0.00
24+759.52	0.00	34.59	0.00	0.00
24+798.08	0.00	38.56	0.00	0.00
24+832.34	0.00	34.26	0.00	0.00
24+868.15	0.00	35.81	0.00	0.00
24+909.66	0.00	41.51	0.00	0.00
24+944.93	0.00	35.27	0.00	0.00
24+982.28	0.00	37.35	0.00	0.00
25+017.31	0.00	35.03	0.00	0.00
25+053.87	0.00	36.56	0.00	0.00
25+090.86	0.00	36.99	0.00	0.00
25+130.48	0.00	39.62	0.00	0.00
25+164.62	0.00	34.14	0.00	0.00
25+194.40	0.00	29.78	0.00	0.00
25+238.11	0.00	43.71	0.00	0.00
25+275.79	0.00	37.68	0.00	0.00
25+318.03	0.00	42.24	0.00	0.00
25+342.45	0.00	24.42	0.00	0.00
25+367.27	0.00	24.82	0.00	0.00
25+392.80	0.00	25.53	0.00	0.00
25+417.29	0.00	24.49	0.00	0.00
25+446.51	0.00	29.22	0.00	0.00
25+475.10	0.00	28.59	0.00	0.00
25+500.63	0.00	25.53	0.00	0.00
25+527.29	0.00	26.66	0.00	0.00
25+554.91	0.00	27.62	0.00	0.00
25+582.98	0.00	28.07	0.00	0.00
25+609.98	0.00	27.00	0.00	0.00
25+636.05	0.00	26.07	0.00	0.00
25+662.14	0.00	26.09	0.00	0.00
25+685.93	0.00	23.79	0.00	0.00
25+716.54	0.00	30.61	0.00	0.00
25+745.59	0.00	29.05	0.00	0.00
25+772.57	0.00	26.98	0.00	0.00
25+798.67	0.00	26.10	0.00	0.00
25+824.70	0.00	26.03	0.00	0.00
25+866.21	0.00	41.51	0.00	0.00
25+900.10	0.00	33.89	0.00	0.00
25+927.15	0.00	27.05	0.00	0.00
25+959.48	0.00	32.33	0.00	0.00
25+987.48	0.00	28.00	0.00	0.00
26+018.19	0.00	30.71	0.00	0.00
26+048.12	0.00	29.93	0.00	0.00
SUMA:			93	2822

TABELA FREZOWANIA gr. 3, 5 cm

Zał. Nr 11

Płkietaz	Szerokość (m)	Sr. szer. (m)	Odległość (m)	Grubość (m)	Powierzchnia (m ²)	Objętość (m ³)
+017.21	3.87					
+043.98	5.50	4.69	26.77	0.03	125.60	3.77
+080.17	4.85	5.18	36.19	0.03	187.50	5.63
+114.35	5.09	4.97	34.18	0.03	169.90	5.10
+154.89	4.74	4.92	40.54	0.03	199.50	5.99
+171.54	4.96	4.85	16.65	0.03	80.80	2.42
+203.72	5.51	5.24	32.18	0.03	168.60	5.06
+237.81	4.83	5.17	34.09	0.03	176.20	5.29
+287.87	4.36	4.60	50.06	0.03	230.30	6.91
+336.74	5.12	4.74	48.87	0.03	231.60	6.95
+367.32	5.02	5.07	30.58	0.03	155.00	4.65
+388.25	5.46	5.24	20.93	0.03	109.70	3.29
+423.25	5.27	5.37	35.00	0.03	188.00	5.64
+457.66	5.07	5.17	34.41	0.03	177.90	5.34
+489.80	4.99	5.03	32.14	0.03	161.70	4.85
+519.48	4.84	4.92	29.68	0.03	146.00	4.38
+546.89	5.11	4.98	27.41	0.03	136.50	4.10
+576.64	5.03	5.07	29.75	0.03	150.80	4.52
+611.41	4.51	4.77	34.77	0.03	165.90	4.98
+635.70	4.98	4.75	24.29	0.03	115.40	3.46
+662.56	5.22	5.10	26.86	0.03	137.00	4.11
+705.49	4.93	5.08	42.93	0.03	218.10	6.54
+740.48	4.88	4.91	34.99	0.03	171.80	5.15
+784.02	5.19	5.04	43.54	0.03	219.40	6.58
+817.74	5.00	5.10	33.72	0.03	172.00	5.16
+849.38	5.04	5.02	31.64	0.03	158.80	4.76
+873.92	5.50	5.27	24.54	0.03	129.30	3.88
+909.84	4.74	5.12	35.92	0.03	183.90	5.52
+949.14	5.02	4.88	39.30	0.03	191.80	5.75
+984.71	5.05	5.04	35.57	0.03	179.30	5.38
1+014.70	5.19	5.12	29.99	0.03	153.50	4.61
1+052.60	4.10	4.65	37.90	0.03	176.20	5.29
1+079.54	4.72	4.41	26.94	0.03	118.80	3.56
1+108.51	4.97	4.85	28.97	0.03	140.50	4.22
1+139.19	4.98	4.98	30.68	0.03	152.80	4.58
1+176.07	4.70	4.84	36.88	0.03	178.50	5.36
1+203.28	5.03	4.87	27.21	0.03	132.50	3.98
1+237.98	4.89	4.96	34.70	0.03	172.10	5.16
1+261.41	4.74	4.82	23.43	0.03	112.90	3.39
1+297.51	4.85	4.80	36.10	0.03	173.30	5.20
1+327.41	4.92	4.89	29.90	0.03	146.20	4.39
1+353.44	4.07	4.50	26.03	0.05	117.10	5.86
1+390.21	4.58	4.33	36.77	0.05	159.20	7.96
1+417.81	2.90	3.74	27.60	0.05	103.20	5.16
1+448.39	3.31	3.11	30.58	0.05	95.10	4.76
1+478.14	5.01	4.16	29.75	0.03	123.80	3.71
1+514.97	5.10	5.06	36.83	0.03	186.40	5.59
1+548.84	2.48	3.79	33.87	0.03	128.40	3.85
1+578.44	5.24	3.86	29.60	0.03	114.30	3.43
1+608.05	5.20	5.22	29.61	0.03	154.60	4.64
1+626.50	5.14	5.17	18.45	0.03	95.40	2.86
1+663.43	5.26	5.20	36.93	0.03	192.00	5.76
1+680.42	4.94	5.10	16.99	0.03	86.60	2.60
1+720.65	5.10	5.02	40.23	0.03	202.00	6.06
1+758.20	5.12	5.11	37.55	0.03	191.90	5.76
1+789.20	2.49	3.81	31.00	0.03	118.10	3.54
1+811.69	4.81	3.65	22.49	0.03	82.10	2.46
1+833.89	5.28	5.05	22.20	0.03	112.10	3.36
1+863.20	4.72	5.00	29.31	0.03	146.60	4.40
1+903.22	5.02	4.87	40.02	0.03	194.90	5.85
1+938.42	5.11	5.07	35.20	0.03	178.50	5.36
1+968.25	2.60	3.86	29.83	0.03	115.10	3.45
1+997.81	2.09	2.35	29.56	0.03	69.50	2.09
2+031.66	5.15	3.62	33.85	0.03	122.50	3.68
2+067.85	5.03	5.09	36.19	0.03	184.20	5.53
2+097.51	5.04	5.04	29.66	0.03	149.50	4.49
2+135.57	5.15	5.10	38.06	0.03	194.10	5.82
2+168.40	4.98	5.07	32.83	0.03	166.40	4.99
2+203.32	4.92	4.95	34.92	0.03	172.90	5.19
2+236.53	4.87	4.90	33.21	0.03	162.70	4.88
2+265.33	5.01	4.94	28.80	0.03	142.30	4.27
2+294.34	5.07	5.04	29.01	0.03	146.20	4.39
2+328.49	4.90	4.99	34.15	0.03	170.40	5.11
2+358.34	4.85	4.88	29.85	0.03	145.70	4.37
2+388.71	5.50	5.18	30.37	0.03	157.30	4.72
2+419.05	5.02	5.26	30.34	0.03	159.60	4.79
2+450.47	5.25	5.14	31.42	0.03	161.50	4.85
2+478.34	3.68	4.47	27.87	0.03	124.60	3.74
2+509.37	4.33	4.01	31.03	0.03	124.40	3.73
2+537.31	4.53	4.43	27.94	0.03	123.80	3.71

TABELA FREZOWANIA gr. 3, 5 cm

Zał. Nr 11

Pikietaż	Szerokość (m)	Szerze (m)	Odległość (m)	Grubość (m)	Powierzchnia (m ²)	Objętość (m ³)
2+570.07	4.68	4.61	32.76	0.03	151.00	4.53
2+599.22	5.01	4.85	29.15	0.03	141.40	4.24
2+629.74	4.86	4.94	30.52	0.03	150.80	4.52
2+660.44	4.92	4.89	30.70	0.03	150.10	4.50
2+690.08	4.86	4.89	29.64	0.03	144.90	4.35
2+720.12	4.69	4.78	30.04	0.03	143.60	4.31
2+751.28	4.63	4.66	31.16	0.03	145.20	4.36
2+812.19	4.74	4.69	60.91	0.03	285.70	8.57
2+841.97	4.92	4.83	29.78	0.03	143.80	4.31
2+871.80	4.69	4.81	29.83	0.03	143.50	4.31
2+902.16	4.76	4.73	30.36	0.03	143.60	4.31
2+934.86	3.53	4.15	32.70	0.03	135.70	4.07
2+966.36	4.66	4.10	31.50	0.03	129.20	3.88
2+993.87	4.72	4.69	27.51	0.03	129.00	3.87
3+023.96	4.92	4.82	30.09	0.03	145.00	4.35
3+054.24	5.02	4.97	30.28	0.03	150.50	4.52
3+083.98	4.87	4.95	29.74	0.03	147.20	4.42
3+115.18	4.80	4.84	31.20	0.05	151.00	7.55
3+151.52	4.75	4.78	36.34	0.03	173.70	5.21
3+181.03	5.50	5.13	29.51	0.03	151.40	4.54
3+211.27	4.81	5.16	30.24	0.03	156.00	4.68
3+247.92	4.35	4.58	36.65	0.03	167.90	5.04
3+272.14	4.31	4.33	24.22	0.03	104.90	3.15
3+309.68	4.27	4.29	37.54	0.03	161.00	4.83
3+339.05	4.31	4.29	29.37	0.03	126.00	3.78
3+368.18	4.43	4.37	29.13	0.03	127.30	3.82
3+395.73	4.44	4.44	27.55	0.03	122.30	3.67
3+427.87	4.70	4.57	32.14	0.03	146.90	4.41
3+458.41	4.55	4.63	30.54	0.03	141.40	4.24
3+488.07	4.73	4.64	29.66	0.03	137.60	4.13
3+519.46	4.55	4.64	31.39	0.03	145.60	4.37
3+549.96	4.64	4.60	30.50	0.03	140.30	4.21
3+582.56	4.74	4.69	32.60	0.05	152.90	7.65
3+609.63	4.76	4.75	27.07	0.03	128.60	3.86
3+639.22	4.77	4.77	29.59	0.03	141.10	4.23
3+670.11	4.76	4.77	30.89	0.05	147.30	7.37
3+709.55	0.00	2.38	39.44	0.03	93.90	2.82
3+740.05	0.00	0.00	30.50	0.03	0.00	0.00
3+770.13	0.00	0.00	30.08	0.03	0.00	0.00
3+795.30	0.00	0.00	25.17	0.03	0.00	0.00
3+825.68	0.00	0.00	30.38	0.03	0.00	0.00
3+866.33	0.00	0.00	40.65	0.03	0.00	0.00
3+892.39	4.89	2.45	26.06	0.05	63.80	3.19
3+917.48	4.98	4.94	25.09	0.05	123.90	6.20
3+947.08	4.96	4.97	29.60	0.03	147.10	4.41
3+983.27	5.24	5.10	36.19	0.03	184.60	5.54
4+013.55	5.51	5.38	30.28	0.03	162.90	4.89
4+044.89	5.51	5.51	31.34	0.03	172.70	5.18
4+073.64	5.04	5.28	28.75	0.03	151.80	4.55
4+103.69	5.01	5.03	30.05	0.03	151.20	4.54
4+133.71	2.88	3.95	30.02	0.03	118.60	3.56
4+177.63	5.50	4.19	43.92	0.03	184.00	5.52
4+205.99	4.78	5.14	28.36	0.03	145.80	4.37
4+235.08	5.14	4.96	29.09	0.03	144.30	4.33
4+264.60	5.23	5.19	29.52	0.03	153.20	4.60
4+295.90	2.75	3.99	31.30	0.03	124.90	3.75
4+328.50	2.61	2.68	32.60	0.03	87.40	2.62
4+367.45	0.00	1.31	38.95	0.03	51.00	1.53
4+405.77	0.00	0.00	38.32	0.03	0.00	0.00
4+429.73	0.00	0.00	23.96	0.03	0.00	0.00
4+450.42	0.00	0.00	20.69	0.03	0.00	0.00
4+482.05	0.00	0.00	31.63	0.03	0.00	0.00
4+510.23	0.00	0.00	28.18	0.03	0.00	0.00
4+538.27	0.00	0.00	28.04	0.03	0.00	0.00
4+570.79	0.00	0.00	32.52	0.03	0.00	0.00
4+600.83	0.00	0.00	30.04	0.03	0.00	0.00
4+635.05	0.00	0.00	34.22	0.03	0.00	0.00
4+661.53	0.00	0.00	26.48	0.03	0.00	0.00
4+697.77	0.00	0.00	36.24	0.03	0.00	0.00
4+729.08	0.00	0.00	31.31	0.03	0.00	0.00
4+758.91	0.00	0.00	29.83	0.03	0.00	0.00
4+795.14	0.00	0.00	36.23	0.03	0.00	0.00
4+826.61	0.00	0.00	31.47	0.03	0.00	0.00
4+884.92	0.00	0.00	58.31	0.03	0.00	0.00
4+924.49	0.00	0.00	39.57	0.03	0.00	0.00
4+949.83	0.00	0.00	25.34	0.03	0.00	0.00
4+984.67	5.07	2.54	34.84	0.03	88.50	2.66
5+011.96	4.83	4.95	27.29	0.03	135.10	4.05
5+037.39	4.51	4.67	25.43	0.03	118.80	3.56
5+074.49	4.93	4.72	37.10	0.03	175.10	5.25
5+099.89	5.08	5.01	25.40	0.03	127.30	3.82
5+127.04	5.16	5.12	27.15	0.03	139.00	4.17
5+153.56	5.28	5.22	26.52	0.03	138.40	4.15
5+180.54	5.50	5.39	26.98	0.03	145.40	4.36
5+206.95	5.12	5.31	26.41	0.03	140.20	4.21
5+232.78	5.08	5.10	25.83	0.03	131.70	3.95

TABELA FREZOWANIA gr. 3, 5 cm

Zał. Nr 11

Pikietaż	Szerokość [m]	Sr. szer. [m]	Odległość [m]	Głębokość [m]	Powierzchnia [m ²]	Objętość [m ³]
5+259.57	5.10	5.09	26.79	0.03	136.40	4.09
5+283.48	4.83	4.97	23.91	0.03	118.80	3.56
5+313.98	4.76	4.80	30.50	0.03	146.40	4.39
5+346.61	4.52	4.64	32.63	0.03	151.40	4.54
5+364.51	4.11	4.32	17.90	0.03	77.30	2.32
5+391.41	3.32	3.72	26.90	0.03	100.10	3.00
5+419.48	3.52	3.42	28.07	0.03	96.00	2.88
5+445.20	3.68	3.60	25.72	0.03	92.60	2.78
5+470.96	3.68	3.68	25.76	0.03	94.80	2.84
5+498.79	4.31	4.00	27.83	0.03	111.30	3.34
5+524.69	4.55	4.43	25.90	0.03	114.70	3.44
5+550.46	4.76	4.66	25.77	0.03	120.10	3.60
5+570.74	5.52	5.14	20.28	0.03	104.20	3.13
5+588.46	5.35	5.44	17.72	0.03	96.40	2.89
5+604.70	5.69	5.52	16.24	0.03	89.60	2.69
5+621.70	1.44	3.57	17.00	0.03	60.70	1.82
5+645.64	4.45	2.95	23.94	0.03	70.60	2.12
5+672.71	4.73	4.59	27.07	0.03	124.30	3.73
5+691.10	4.41	4.57	18.39	0.03	84.00	2.52
5+706.35	2.68	3.55	15.25	0.03	54.10	1.62
5+719.53	4.73	3.71	13.18	0.03	48.90	1.47
5+742.06	5.05	4.89	22.53	0.03	110.20	3.31
5+768.39	4.74	4.90	26.33	0.03	129.00	3.87
5+795.56	5.36	5.05	27.17	0.03	137.20	4.12
5+816.86	5.01	5.19	21.30	0.03	110.50	3.32
5+845.71	4.99	5.00	28.85	0.03	144.30	4.33
5+873.86	5.06	5.03	28.15	0.03	141.60	4.25
5+897.01	4.86	4.96	23.15	0.03	114.80	3.44
5+927.01	4.92	4.89	30.00	0.03	146.70	4.40
5+955.32	4.80	4.86	28.31	0.03	137.60	4.13
5+981.15	4.77	4.79	25.83	0.03	123.70	3.71
6+011.57	5.51	5.14	30.42	0.03	156.40	4.69
6+039.58	5.38	5.45	28.01	0.03	152.70	4.58
6+067.52	5.41	5.40	27.94	0.03	150.90	4.53
6+095.59	3.74	4.58	28.07	0.03	128.60	3.86
6+127.89	3.92	3.83	32.30	0.03	123.70	3.71
6+158.68	3.91	3.92	30.79	0.03	120.70	3.62
6+190.23	4.00	3.96	31.55	0.03	124.90	3.75
6+214.90	3.77	3.89	24.67	0.03	96.00	2.88
6+246.57	3.84	3.81	31.67	0.03	120.70	3.62
6+280.11	3.58	3.71	33.54	0.03	124.40	3.73
6+298.68	4.03	3.81	18.57	0.03	70.80	2.12
6+314.18	3.98	4.01	15.50	0.03	62.20	1.87
6+344.28	3.93	3.96	30.10	0.03	119.20	3.58
6+376.97	3.93	3.93	32.69	0.03	128.50	3.86
6+414.78	3.82	3.88	37.81	0.03	146.70	4.40
6+441.03	5.13	4.48	26.25	0.03	117.60	3.53
6+459.11	4.20	4.67	18.08	0.03	84.40	2.53
6+487.38	3.84	4.02	28.27	0.03	113.60	3.41
6+516.04	2.86	3.35	28.66	0.03	96.00	2.88
6+545.94	4.16	3.51	29.90	0.03	104.90	3.15
6+574.38	3.98	4.07	28.44	0.03	115.80	3.47
6+601.69	3.92	3.95	27.31	0.03	107.90	3.24
6+634.02	4.03	3.98	32.33	0.03	128.70	3.86
6+665.13	3.91	3.97	31.11	0.03	123.50	3.71
6+698.83	3.86	3.89	33.70	0.03	131.10	3.93
6+725.43	3.98	3.92	26.60	0.03	104.30	3.13
6+755.17	3.90	3.94	29.74	0.03	117.20	3.52
6+782.77	3.87	3.89	27.60	0.03	107.40	3.22
6+800.13	3.92	3.90	17.36	0.03	67.70	2.03
6+827.11	4.03	3.98	26.98	0.03	107.40	3.22
6+855.32	4.14	4.09	28.21	0.03	115.40	3.46
6+883.11	3.90	4.02	27.79	0.03	111.70	3.35
6+912.39	3.76	3.83	29.28	0.05	112.10	5.61
6+941.13	3.77	3.77	28.74	0.03	108.30	3.25
6+968.73	3.78	3.78	27.60	0.03	104.30	3.13
7+002.47	4.11	3.95	33.74	0.03	133.30	4.00
7+050.71	3.93	4.02	48.24	0.03	193.90	5.82
7+076.53	4.00	3.97	25.82	0.03	102.50	3.08
7+128.13	3.78	3.89	51.60	0.03	200.70	6.02
7+156.96	3.78	3.78	28.83	0.03	109.00	3.27
7+186.42	3.89	3.84	29.46	0.03	113.10	3.39
7+215.26	3.71	3.80	28.84	0.05	109.60	5.48
7+243.72	3.98	3.85	28.46	0.03	109.60	3.29
7+274.59	3.85	3.92	30.87	0.03	121.00	3.63
7+304.92	3.93	3.89	30.33	0.03	118.00	3.54
7+335.71	3.84	3.89	30.79	0.03	119.80	3.59
7+364.27	4.00	3.92	28.56	0.03	112.00	3.36
7+393.80	3.69	3.85	29.53	0.03	113.70	3.41
7+423.67	3.89	3.79	29.87	0.03	113.20	3.40
7+449.99	3.97	3.93	26.32	0.03	103.40	3.10
7+475.02	3.90	3.94	25.03	0.03	98.60	2.96
7+504.80	4.09	4.00	29.78	0.03	119.10	3.57
7+535.98	3.91	4.00	31.18	0.03	124.70	3.74
7+564.41	4.15	4.03	28.43	0.03	114.60	3.44
7+598.89	4.20	4.18	34.48	0.03	144.10	4.32

TABELA FREZOWANIA gr. 3, 5 cm

Zał. Nr 11

Pikietaż	Szerokość (m)	Sr szer (m)	Odległość (m)	Grubość (m)	Powierzchnia (m ²)	Objętość (m ³)
7+623.28	4.17	4.19	24.39	0.03	102.20	3.07
7+657.73	3.89	4.03	34.45	0.03	138.80	4.16
7+685.67	3.76	3.83	27.94	0.03	107.00	3.21
7+717.28	4.40	4.08	31.61	0.05	129.00	6.45
7+762.10	4.23	4.32	44.82	0.03	193.60	5.81
7+810.35	4.62	4.43	48.25	0.03	213.70	6.41
7+839.85	3.41	4.02	29.50	0.05	118.60	5.93
7+867.29	2.86	3.14	27.44	0.05	86.20	4.31
7+923.31	5.08	3.97	56.02	0.03	222.40	6.67
7+955.20	5.41	5.25	31.89	0.03	167.40	5.02
7+980.04	4.69	5.05	24.84	0.03	125.40	3.76
7+996.61	5.50	5.10	16.57	0.03	84.50	2.54
8+020.89	0.00	2.75	24.28	0.03	66.80	2.00
8+057.36	0.00	0.00	36.47	0.03	0.00	0.00
8+079.79	1.92	0.96	22.43	0.05	21.50	1.08
8+104.95	2.57	2.25	25.16	0.05	56.60	2.83
8+135.27	3.98	3.28	30.32	0.05	99.40	4.97
8+164.79	3.63	3.81	29.52	0.03	112.50	3.38
8+198.84	3.81	3.72	34.05	0.03	126.70	3.80
8+218.86	3.59	3.70	20.02	0.03	74.10	2.22
8+248.20	3.42	3.51	29.34	0.05	103.00	5.15
8+278.54	3.21	3.32	30.34	0.03	100.70	3.02
8+307.27	3.45	3.33	28.73	0.03	95.70	2.87
8+346.44	3.52	3.49	39.17	0.03	136.70	4.10
8+411.78	3.36	3.44	65.34	0.03	224.80	6.74
8+439.30	3.51	3.44	27.52	0.03	94.70	2.84
8+469.16	3.64	3.58	29.86	0.03	106.90	3.21
8+498.30	3.64	3.64	29.14	0.03	106.10	3.18
8+529.97	3.70	3.67	31.67	0.03	116.20	3.49
8+561.77	3.68	3.69	31.80	0.03	117.30	3.52
8+597.78	3.82	3.75	36.01	0.03	135.00	4.05
8+628.62	3.86	3.84	30.84	0.03	118.40	3.55
8+670.48	4.00	3.93	41.86	0.03	164.50	4.94
8+699.57	3.82	3.91	29.09	0.03	113.70	3.41
8+731.33	3.80	3.81	31.76	0.03	121.00	3.63
8+757.82	3.68	3.74	26.49	0.03	99.10	2.97
8+786.83	3.77	3.73	29.01	0.03	108.20	3.25
8+816.11	3.65	3.71	29.28	0.03	108.60	3.26
8+845.47	3.87	3.76	29.36	0.03	110.40	3.31
8+872.82	3.82	3.85	27.35	0.03	105.30	3.16
8+901.79	3.92	3.87	28.97	0.03	112.10	3.36
8+932.44	3.87	3.90	30.65	0.03	119.50	3.59
8+963.91	3.96	3.92	31.47	0.03	123.40	3.70
8+994.13	4.09	4.03	30.22	0.05	121.80	6.09
9+025.56	3.67	3.88	31.43	0.05	121.90	6.10
9+056.26	4.09	3.88	30.70	0.03	119.10	3.57
9+084.20	3.97	4.03	27.94	0.03	112.60	3.38
9+116.50	3.97	3.97	32.30	0.05	128.20	6.41
9+148.14	3.97	3.97	31.64	0.03	125.60	3.77
9+181.13	3.99	3.98	32.99	0.03	131.30	3.94
9+217.84	3.95	3.97	36.71	0.03	145.70	4.37
9+247.59	3.93	3.94	29.75	0.05	117.20	5.86
9+278.15	4.13	4.03	30.56	0.03	123.20	3.70
9+300.58	3.95	4.04	22.43	0.03	90.60	2.72
9+332.57	3.81	3.88	31.99	0.03	124.10	3.72
9+362.54	3.76	3.79	29.97	0.03	113.60	3.41
9+393.75	3.81	3.79	31.21	0.05	118.30	5.92
9+423.85	3.85	3.83	30.10	0.03	115.30	3.46
9+441.36	3.78	3.82	17.51	0.03	66.90	2.01
9+468.71	3.90	3.84	27.35	0.03	105.00	3.15
9+485.25	3.90	3.90	16.54	0.03	64.50	1.94
9+523.93	3.36	3.63	38.68	0.03	140.40	4.21
9+548.82	3.50	3.43	24.89	0.03	85.40	2.56
9+574.81	4.34	3.92	25.99	0.05	101.90	5.10
9+614.51	0.00	2.17	39.70	0.03	86.10	2.58
9+652.82	5.38	2.69	38.31	0.05	103.10	5.16
9+678.05	5.16	5.27	25.23	0.03	133.00	3.99
9+704.96	4.90	5.03	26.91	0.03	135.40	4.06
9+730.89	4.45	4.68	25.93	0.03	121.40	3.64
9+754.64	5.74	5.10	23.75	0.03	121.10	3.63
9+774.84	5.58	5.66	20.20	0.03	114.30	3.43
9+801.75	5.07	5.33	26.91	0.03	143.40	4.30
9+830.03	4.09	4.58	28.28	0.03	129.50	3.89
9+850.44	3.79	3.94	20.41	0.03	80.40	2.41
9+881.82	3.58	3.69	31.38	0.03	115.80	3.47
9+911.85	3.45	3.52	30.03	0.03	105.70	3.17
9+946.07	3.54	3.50	34.22	0.03	119.80	3.59
9+982.16	3.31	3.43	36.09	0.05	123.80	6.19
10+026.03	3.61	3.46	43.87	0.03	151.80	4.55
10+048.43	3.05	3.33	22.40	0.03	74.60	2.24
10+077.63	2.75	2.90	29.20	0.03	84.70	2.54
10+112.12	2.93	2.84	34.49	0.03	98.00	2.94
10+144.29	4.04	3.49	32.17	0.03	112.30	3.37
10+179.85	3.79	3.92	35.56	0.05	139.40	6.97
10+211.14	4.16	3.98	31.29	0.03	124.50	3.74
10+243.17	2.41	3.29	32.03	0.03	105.40	3.16

TABELA FREZOWANIA gr. 3, 5 cm

Zat. Nr 11

Piętra	Szerokość (m)	Szerokość (m)	Odległość (m)	Grubość (m)	Powierzchnia (m ²)	Objętość (m ³)
10+270.89	4.01	3.21	27.72	0.03	89.00	2.67
10+302.03	4.14	4.08	31.14	0.03	127.10	3.81
10+334.05	4.53	4.34	32.02	0.03	139.00	4.17
10+362.91	4.62	4.58	28.86	0.03	132.20	3.97
10+419.54	4.49	4.56	56.63	0.03	258.20	7.75
10+448.10	3.54	4.02	28.56	0.05	114.80	5.74
10+476.21	5.03	4.29	28.11	0.03	120.60	3.62
10+503.43	4.42	4.73	27.22	0.03	128.80	3.86
10+533.88	4.69	4.56	30.45	0.03	138.90	4.17
10+559.67	4.59	4.64	25.79	0.03	119.70	3.59
10+586.30	4.53	4.56	26.63	0.03	121.40	3.64
10+613.36	4.09	4.31	27.06	0.03	116.60	3.50
10+638.17	4.28	4.19	24.81	0.03	104.00	3.12
10+665.11	4.19	4.24	26.94	0.03	114.20	3.43
10+691.68	4.02	4.11	26.57	0.05	109.20	5.46
10+717.70	4.05	4.04	26.02	0.03	105.10	3.15
10+743.91	4.24	4.15	26.21	0.05	108.80	5.44
10+770.46	4.00	4.12	26.55	0.03	109.40	3.28
10+799.21	4.03	4.02	28.75	0.03	115.60	3.47
10+825.44	3.91	3.97	26.23	0.03	104.10	3.12
10+855.64	3.97	3.94	30.20	0.03	119.00	3.57
10+880.79	3.74	3.86	25.15	0.03	97.10	2.91
10+908.26	3.91	3.83	27.47	0.03	105.20	3.16
10+935.55	4.05	3.98	27.29	0.05	108.60	5.43
10+963.69	3.85	3.95	28.14	0.05	111.20	5.56
10+990.40	4.18	4.02	26.71	0.03	107.40	3.22
11+015.36	4.01	4.10	24.96	0.03	102.30	3.07
11+039.79	3.97	3.99	24.43	0.03	97.50	2.93
11+067.60	4.13	4.05	27.81	0.03	112.60	3.38
11+093.76	3.98	4.06	26.16	0.03	106.20	3.19
11+119.60	3.90	3.94	25.84	0.03	101.80	3.05
11+146.53	4.01	3.96	26.93	0.03	106.60	3.20
11+171.23	1.97	2.99	24.70	0.05	73.90	3.70
11+200.55	4.03	3.00	29.32	0.03	88.00	2.64
11+225.76	3.72	3.88	25.21	0.03	97.80	2.93
11+250.88	3.74	3.73	25.12	0.03	93.70	2.81
11+270.58	3.28	3.51	19.70	0.05	69.10	3.46
11+294.97	3.67	3.48	24.39	0.05	84.90	4.25
11+320.61	3.94	3.81	25.64	0.03	97.70	2.93
11+346.43	3.91	3.93	25.82	0.03	101.50	3.05
11+376.88	3.80	3.86	30.45	0.03	117.50	3.53
11+403.99	3.82	3.81	27.11	0.03	103.30	3.10
11+430.44	4.01	3.92	26.45	0.03	103.70	3.11
11+457.42	4.04	4.03	26.98	0.03	108.70	3.26
11+487.95	4.45	4.25	30.53	0.03	129.80	3.89
11+514.26	3.65	4.05	26.31	0.05	106.60	5.33
11+541.02	3.94	3.80	26.76	0.05	101.70	5.09
11+567.72	3.73	3.84	26.70	0.03	102.50	3.08
11+594.82	3.93	3.83	27.10	0.03	103.80	3.11
11+621.40	3.87	3.90	26.58	0.05	103.70	5.19
11+647.00	3.75	3.81	25.60	0.03	97.50	2.93
11+673.33	3.87	3.81	26.33	0.05	100.30	5.02
11+699.04	3.85	3.86	25.71	0.05	99.20	4.96
11+725.42	4.12	3.99	26.38	0.05	105.30	5.27
11+752.03	4.48	4.30	26.61	0.03	114.40	3.43
11+777.89	3.89	4.19	25.86	0.03	108.40	3.25
11+805.16	3.89	3.89	27.27	0.05	106.10	5.31
11+833.69	3.94	3.92	28.53	0.03	111.80	3.35
11+860.35	3.90	3.92	26.66	0.03	104.50	3.14
11+886.35	3.70	3.80	26.00	0.03	98.80	2.96
11+912.01	3.79	3.75	25.66	0.03	96.20	2.89
11+936.91	3.73	3.76	24.90	0.03	93.60	2.81
11+963.36	3.74	3.74	26.45	0.03	98.90	2.97
11+988.53	3.72	3.73	25.17	0.05	93.90	4.70
12+015.07	3.72	3.72	26.54	0.03	98.70	2.96
12+041.14	3.62	3.67	26.07	0.05	95.70	4.79
12+066.55	3.64	3.63	25.41	0.03	92.20	2.77
12+092.84	3.75	3.70	26.29	0.03	97.30	2.92
12+122.40	3.77	3.76	29.56	0.03	111.10	3.33
12+151.93	3.74	3.76	29.53	0.05	111.00	5.55
12+180.13	0.00	1.87	28.20	0.03	52.70	1.58
12+208.69	0.00	0.00	28.56	0.03	0.00	0.00
12+236.04	0.00	0.00	27.35	0.03	0.00	0.00
12+263.61	0.00	0.00	27.57	0.03	0.00	0.00
12+281.87	0.00	0.00	18.26	0.03	0.00	0.00
12+310.24	0.00	0.00	28.37	0.03	0.00	0.00
12+338.83	0.00	0.00	28.59	0.03	0.00	0.00
12+366.63	3.73	1.87	27.80	0.03	52.00	1.56
12+395.08	3.93	3.83	28.45	0.03	109.00	3.27
12+419.73	3.60	3.77	24.65	0.03	92.90	2.79
12+447.59	3.96	3.78	27.86	0.03	105.30	3.16
12+474.96	3.62	3.79	27.37	0.03	103.70	3.11
12+503.50	4.15	3.89	28.54	0.03	111.00	3.33
12+529.80	1.30	2.73	26.30	0.05	71.80	3.59
12+558.75	3.92	2.61	28.95	0.03	75.60	2.27
12+586.70	3.85	3.89	27.95	0.03	108.70	3.26

P.kietaz	Szerokość [m]	Szerokość [m]	Odległość [m]	Głębokość [m]	Powierzchnia [m ²]	Objętość [m ³]
12+613.59	3.93	3.89	26.89	0.03	104.60	3.14
12+640.28	3.61	3.77	26.69	0.03	100.60	3.02
12+668.10	3.82	3.72	27.82	0.03	103.50	3.11
12+692.54	3.66	3.74	24.44	0.03	91.40	2.74
12+709.17	3.75	3.71	16.63	0.03	61.70	1.85
12+729.36	3.92	3.84	20.19	0.03	77.50	2.33
12+756.77	4.24	4.08	27.41	0.03	111.80	3.35
12+783.50	3.88	4.06	26.73	0.03	108.50	3.26
12+809.92	3.79	3.84	26.42	0.03	101.50	3.05
12+846.11	3.84	3.82	36.19	0.03	138.20	4.15
12+863.39	3.69	3.77	17.28	0.03	65.10	1.95
12+890.15	3.60	3.65	26.76	0.03	97.70	2.93
12+945.85	4.42	4.01	55.70	0.03	223.40	6.70
12+974.29	3.48	3.95	28.44	0.03	112.30	3.37
13+001.80	3.12	3.30	27.51	0.03	90.80	2.72
13+029.45	3.93	3.53	27.65	0.03	97.60	2.93
13+060.20	3.76	3.85	30.75	0.03	118.40	3.55
13+089.44	3.69	3.73	29.24	0.03	109.10	3.27
13+113.12	3.87	3.78	23.68	0.03	89.50	2.69
13+141.01	3.61	3.74	27.89	0.03	104.30	3.13
13+172.03	3.85	3.73	31.02	0.03	115.70	3.47
13+200.43	3.98	3.92	28.40	0.05	111.30	5.57
13+232.35	3.89	3.94	31.92	0.05	125.80	6.29
13+260.97	3.92	3.91	28.62	0.03	111.90	3.36
13+290.36	3.35	3.64	29.39	0.03	107.00	3.21
13+319.91	3.74	3.55	29.55	0.03	104.90	3.15
13+347.81	3.83	3.79	27.90	0.05	105.70	5.29
13+375.62	3.61	3.72	27.81	0.03	103.50	3.11
13+403.48	3.71	3.66	27.86	0.03	102.00	3.06
13+430.93	3.82	3.77	27.45	0.03	103.50	3.11
13+458.50	3.72	3.77	27.57	0.03	103.90	3.12
13+485.96	3.80	3.76	27.46	0.05	103.20	5.16
13+513.54	4.11	3.96	27.58	0.03	109.20	3.28
13+541.20	4.22	4.17	27.66	0.03	115.30	3.46
13+569.09	4.00	4.11	27.89	0.03	114.60	3.44
13+595.60	4.15	4.08	26.51	0.05	108.20	5.41
13+623.01	4.11	4.13	27.41	0.05	113.20	5.66
13+649.85	4.39	4.25	26.84	0.03	114.10	3.42
13+677.29	4.23	4.31	27.44	0.03	118.30	3.55
13+704.09	4.35	4.29	26.80	0.03	115.00	3.45
13+730.83	4.46	4.41	26.74	0.03	117.90	3.54
13+758.25	4.18	4.32	27.42	0.05	118.50	5.93
13+783.97	4.08	4.13	25.72	0.03	106.20	3.19
13+809.02	4.45	4.27	25.05	0.03	107.00	3.21
13+834.36	4.57	4.51	25.34	0.03	114.30	3.43
13+859.90	2.16	3.37	25.54	0.03	86.10	2.58
13+884.37	4.37	3.27	24.47	0.05	80.00	4.00
13+910.57	0.00	2.19	26.20	0.03	57.40	1.72
13+934.92	0.00	0.00	24.35	0.03	0.00	0.00
13+965.00	0.00	0.00	30.08	0.03	0.00	0.00
13+987.12	0.00	0.00	22.12	0.03	0.00	0.00
13+999.62	0.00	0.00	12.50	0.03	0.00	0.00
14+035.73	0.00	0.00	36.11	0.03	0.00	0.00
14+059.69	0.00	0.00	23.96	0.03	0.00	0.00
14+112.81	0.00	0.00	53.12	0.03	0.00	0.00
14+126.09	0.00	0.00	13.28	0.03	0.00	0.00
14+146.20	0.00	0.00	20.11	0.03	0.00	0.00
14+183.67	0.00	0.00	37.47	0.03	0.00	0.00
14+205.66	0.00	0.00	21.99	0.03	0.00	0.00
14+230.09	0.00	0.00	24.43	0.03	0.00	0.00
14+257.37	0.00	0.00	27.28	0.03	0.00	0.00
14+275.82	0.00	0.00	18.45	0.03	0.00	0.00
14+296.38	0.00	0.00	20.56	0.03	0.00	0.00
14+327.62	5.51	2.76	31.24	0.03	86.20	2.59
14+351.87	4.27	4.89	24.25	0.03	118.60	3.56
14+380.42	4.32	4.30	28.55	0.03	122.80	3.68
14+407.94	4.03	4.18	27.52	0.03	115.00	3.45
14+433.19	3.93	3.98	25.25	0.05	100.50	5.03
14+464.23	4.20	4.07	31.04	0.03	126.30	3.79
14+482.54	4.45	4.33	18.31	0.03	79.30	2.38
14+508.32	4.20	4.33	25.78	0.03	111.60	3.35
14+533.26	3.84	4.02	24.94	0.03	100.30	3.01
14+560.89	4.22	4.03	27.63	0.03	111.30	3.34
14+589.07	4.20	4.21	28.18	0.03	118.60	3.56
14+616.18	5.07	4.64	27.11	0.03	125.80	3.77
14+636.52	5.21	5.14	20.34	0.03	104.50	3.14
14+653.65	5.31	5.26	17.13	0.03	90.10	2.70
14+670.39	4.58	4.95	16.74	0.03	82.90	2.49
14+695.30	4.52	4.55	24.91	0.03	113.30	3.40
14+749.61	0.00	2.26	54.31	0.03	122.70	3.68
14+789.94	4.14	2.07	40.33	0.03	83.50	2.51
14+817.94	3.91	4.03	28.00	0.03	112.80	3.38
14+860.60	3.92	3.92	42.66	0.03	167.20	5.02
14+905.77	4.17	4.05	45.17	0.05	182.90	9.15
14+931.29	4.52	4.35	25.52	0.05	111.00	5.55
14+957.06	4.61	4.57	25.77	0.03	117.80	3.53

TABELA FREZOWANIA gr. 3, 5 cm

Zal. Nr 11

Pikietaż	Szerokość [m]	Sr. szer. [m]	Odległość [m]	Grubość [m]	Powierzchnia [m ²]	Objętość [m ³]
14+977.46	4.29	4.45	20.40	0.03	90.80	2.72
15+000.55	4.68	4.49	23.09	0.03	103.70	3.11
15+022.76	4.46	4.57	22.21	0.05	101.50	5.08
15+053.93	2.28	3.37	31.17	0.03	105.00	3.15
15+083.57	3.95	3.12	29.64	0.03	92.50	2.78
15+111.29	3.94	3.95	27.72	0.03	109.50	3.29
15+136.48	4.04	3.99	25.19	0.03	100.50	3.02
15+161.67	4.00	4.02	25.19	0.05	101.30	5.07
15+189.74	5.07	4.54	28.07	0.05	127.40	6.37
15+216.29	3.87	4.47	26.55	0.03	118.70	3.56
15+242.73	3.77	3.82	26.44	0.03	101.00	3.03
15+269.73	3.68	3.73	27.00	0.03	100.70	3.02
15+296.94	4.05	3.87	27.21	0.03	105.30	3.16
15+323.14	3.92	3.99	26.20	0.03	104.50	3.14
15+349.99	0.00	1.96	26.85	0.03	52.60	1.58
15+382.13	0.00	0.00	32.14	0.03	0.00	0.00
15+424.32	0.00	0.00	42.19	0.03	0.00	0.00
15+450.47	0.00	0.00	26.15	0.03	0.00	0.00
15+481.29	0.00	0.00	30.82	0.03	0.00	0.00
15+512.43	0.00	0.00	31.14	0.03	0.00	0.00
15+532.13	0.00	0.00	19.70	0.03	0.00	0.00
15+559.82	0.00	0.00	27.69	0.03	0.00	0.00
15+589.81	0.00	0.00	29.99	0.03	0.00	0.00
15+639.57	0.00	0.00	49.76	0.03	0.00	0.00
15+663.75	0.00	0.00	24.18	0.03	0.00	0.00
15+702.27	0.00	0.00	38.52	0.03	0.00	0.00
15+745.92	0.00	0.00	43.65	0.03	0.00	0.00
15+785.90	0.00	0.00	39.98	0.03	0.00	0.00
15+814.30	0.00	0.00	28.40	0.03	0.00	0.00
15+839.51	0.00	0.00	25.21	0.03	0.00	0.00
15+855.51	0.00	0.00	16.00	0.03	0.00	0.00
15+883.02	0.00	0.00	27.51	0.03	0.00	0.00
15+906.55	0.00	0.00	23.53	0.03	0.00	0.00
15+924.00	0.00	0.00	17.45	0.03	0.00	0.00
15+947.57	0.00	0.00	23.57	0.03	0.00	0.00
15+995.47	3.64	1.82	47.90	0.05	87.20	4.36
16+038.12	4.10	3.87	42.65	0.03	165.10	4.95
16+073.10	4.16	4.13	34.98	0.03	144.50	4.34
16+097.14	4.53	4.35	24.04	0.03	104.60	3.14
16+122.28	4.33	4.43	25.14	0.03	111.40	3.34
16+140.90	4.22	4.28	18.62	0.03	79.70	2.39
16+160.59	4.70	4.46	19.69	0.03	87.80	2.63
16+181.69	3.29	4.00	21.10	0.03	84.40	2.53
16+208.10	3.99	3.64	26.41	0.05	96.10	4.81
16+234.76	4.52	4.26	26.66	0.03	113.60	3.41
16+260.20	4.02	4.27	25.44	0.03	108.60	3.26
16+299.27	3.73	3.88	39.07	0.03	151.60	4.55
16+325.54	3.73	3.73	26.27	0.05	98.00	4.90
16+351.90	4.08	3.91	26.36	0.05	103.10	5.16
16+376.99	3.88	3.98	25.09	0.03	99.90	3.00
16+402.03	4.14	4.01	25.04	0.03	100.40	3.01
16+427.98	4.32	4.23	25.95	0.03	109.80	3.29
16+453.11	3.91	4.12	25.13	0.03	103.50	3.11
16+477.08	3.72	3.82	23.97	0.03	91.60	2.75
16+504.23	4.04	3.88	27.15	0.03	105.30	3.16
16+527.26	3.87	3.96	23.03	0.03	91.20	2.74
16+556.01	3.79	3.83	28.75	0.05	110.10	5.51
16+581.35	4.00	3.90	25.34	0.03	98.80	2.96
16+605.84	3.95	3.98	24.49	0.03	97.50	2.93
16+641.93	3.99	3.97	36.09	0.05	143.30	7.17
16+680.69	3.98	3.99	38.76	0.05	154.70	7.74
16+711.07	3.74	3.86	30.38	0.03	117.30	3.52
16+743.55	4.06	3.90	32.48	0.03	126.70	3.80
16+775.22	3.47	3.77	31.67	0.03	119.40	3.58
16+806.75	3.80	3.64	31.53	0.05	114.80	5.74
16+837.75	4.05	3.93	31.00	0.03	121.80	3.65
16+870.63	1.33	2.69	32.88	0.03	88.40	2.65
16+903.50	4.08	2.71	32.87	0.05	89.10	4.46
16+934.44	4.00	4.04	30.94	0.03	125.00	3.75
16+976.31	4.51	4.26	41.87	0.05	178.40	8.92
17+007.62	4.65	4.58	31.31	0.03	143.40	4.30
17+036.52	4.69	4.67	28.90	0.03	135.00	4.05
17+060.82	4.40	4.55	24.30	0.03	110.80	3.32
17+093.41	4.11	4.26	32.59	0.03	138.80	4.16
17+127.60	3.97	4.04	34.19	0.03	138.10	4.14
17+161.62	4.13	4.05	34.02	0.03	137.80	4.13
17+201.42	4.11	4.12	39.80	0.03	164.00	4.92
17+236.33	4.09	4.10	34.91	0.03	143.10	4.29
17+266.06	4.34	4.22	29.73	0.03	125.50	3.77
17+298.78	4.23	4.29	32.72	0.05	140.40	7.02
17+332.63	4.12	4.18	33.85	0.03	141.50	4.25
17+362.08	3.87	4.00	29.45	0.03	117.80	3.53
17+398.51	3.99	3.93	36.43	0.03	143.20	4.30
17+429.52	3.84	3.92	31.01	0.03	121.60	3.65
17+461.22	0.00	1.92	31.70	0.03	60.90	1.83
17+526.40	0.00	0.00	65.18	0.03	0.00	0.00

TABELA FREZOWANIA gr. 3, 5 cm

Zał. Nr 11

Pikietaż	Szerokość (m)	Śr. szer. (m)	Odległość (m)	Grubość (m)	Powierzchnia (m ²)	Objętość (m ³)
17+556.82	0.00	0.00	30.42	0.03	0.00	0.00
17+581.56	0.00	0.00	24.74	0.03	0.00	0.00
17+611.52	0.00	0.00	29.96	0.03	0.00	0.00
17+641.69	0.00	0.00	30.17	0.03	0.00	0.00
17+673.14	4.38	2.19	31.45	0.03	68.90	2.07
17+701.93	2.57	3.48	28.79	0.05	100.20	5.01
17+736.59	0.00	1.29	34.66	0.03	44.70	1.34
17+765.04	4.24	2.12	28.45	0.03	60.30	1.81
17+825.64	4.24	4.24	60.60	0.03	256.90	7.71
17+855.44	4.20	4.22	29.80	0.05	125.80	6.29
17+886.21	4.12	4.16	30.77	0.03	128.00	3.84
17+917.92	4.12	4.12	31.71	0.05	130.60	6.53
17+947.33	4.00	4.06	29.41	0.03	119.40	3.58
17+981.33	4.19	4.10	34.00	0.03	139.40	4.18
18+019.14	4.29	4.24	37.81	0.03	160.30	4.81
18+052.38	4.28	4.29	33.24	0.03	142.60	4.28
18+080.72	4.27	4.28	28.34	0.03	121.30	3.64
18+112.74	4.13	4.20	32.02	0.05	134.50	6.73
18+143.05	3.90	4.02	30.31	0.03	121.80	3.65
18+173.06	4.26	4.08	30.01	0.03	122.40	3.67
18+203.85	4.03	4.15	30.79	0.03	127.80	3.83
18+233.94	3.22	3.63	30.09	0.05	109.20	5.46
18+267.75	4.18	3.70	33.81	0.03	125.10	3.75
18+299.84	4.21	4.20	32.09	0.05	134.80	6.74
18+329.19	4.20	4.21	29.35	0.03	123.60	3.71
18+371.21	4.29	4.25	42.02	0.03	178.60	5.36
18+400.64	4.43	4.36	29.43	0.05	128.30	6.42
18+431.00	4.13	4.28	30.36	0.03	129.90	3.90
18+466.65	4.45	4.29	35.65	0.05	152.90	7.65
18+498.60	4.53	4.49	31.95	0.03	143.50	4.31
18+525.76	4.10	4.32	27.16	0.03	117.30	3.52
18+556.88	3.77	3.94	31.12	0.03	122.60	3.68
18+587.86	4.17	3.97	30.98	0.05	123.00	6.15
18+617.75	4.23	4.20	29.89	0.05	125.50	6.28
18+649.55	3.94	4.09	31.80	0.03	130.10	3.90
18+681.07	4.24	4.09	31.52	0.03	128.90	3.87
18+710.06	3.87	4.06	28.99	0.03	117.70	3.53
18+768.40	4.59	4.23	58.34	0.03	246.80	7.40
18+802.28	4.15	4.37	33.88	0.03	148.10	4.44
18+836.10	3.57	3.86	33.82	0.05	130.50	6.53
18+860.50	3.72	3.65	24.40	0.03	89.10	2.67
18+888.39	3.93	3.83	27.89	0.05	106.80	5.34
18+916.98	0.00	1.97	28.59	0.03	56.30	1.69
18+951.66	4.20	2.10	34.68	0.05	72.80	3.64
18+980.85	3.81	4.01	29.19	0.03	117.10	3.51
19+011.92	3.98	3.90	31.07	0.03	121.20	3.64
19+043.71	3.86	3.92	31.79	0.03	124.60	3.74
19+077.59	3.93	3.90	33.88	0.03	132.10	3.96
19+110.08	3.76	3.85	32.49	0.05	125.10	6.26
19+141.50	3.76	3.76	31.42	0.03	118.10	3.54
19+169.78	4.18	3.97	28.28	0.03	112.30	3.37
19+207.40	4.25	4.22	37.62	0.03	158.80	4.76
19+255.99	1.89	3.07	48.59	0.05	149.20	7.46
19+287.54	0.00	0.95	31.55	0.03	30.00	0.90
19+320.15	0.00	0.00	32.61	0.03	0.00	0.00
19+349.08	0.00	0.00	28.93	0.03	0.00	0.00
19+383.38	0.00	0.00	34.30	0.03	0.00	0.00
19+417.37	0.00	0.00	33.99	0.03	0.00	0.00
19+439.36	0.00	0.00	21.99	0.03	0.00	0.00
19+464.22	0.00	0.00	24.86	0.03	0.00	0.00
19+493.20	0.00	0.00	28.98	0.03	0.00	0.00
19+529.84	0.00	0.00	36.64	0.03	0.00	0.00
19+563.30	0.00	0.00	33.46	0.03	0.00	0.00
19+587.97	0.00	0.00	24.67	0.03	0.00	0.00
19+619.47	0.00	0.00	31.50	0.03	0.00	0.00
19+649.08	0.00	0.00	29.61	0.03	0.00	0.00
19+678.77	0.00	0.00	29.69	0.03	0.00	0.00
19+709.04	4.05	2.03	30.27	0.05	61.40	3.07
19+738.55	3.53	3.79	29.51	0.03	111.80	3.35
19+772.96	4.36	3.95	34.41	0.03	135.90	4.08
19+792.76	3.75	4.06	19.80	0.03	80.40	2.41
19+836.10	3.84	3.80	43.34	0.03	164.70	4.94
19+865.36	3.58	3.71	29.26	0.03	108.60	3.26
19+905.30	3.61	3.60	39.94	0.05	143.80	7.19
19+939.79	3.58	3.60	34.49	0.03	124.20	3.73
19+974.77	4.00	3.79	34.98	0.03	132.60	3.98
20+010.33	4.19	4.10	35.56	0.03	145.80	4.37
20+038.67	4.10	4.15	28.34	0.03	117.60	3.53
20+069.23	4.22	4.16	30.56	0.03	127.10	3.81
20+099.28	4.05	4.14	30.05	0.05	124.40	6.22
20+130.01	1.70	2.88	30.73	0.05	88.50	4.43
20+166.71	3.96	2.83	36.70	0.03	103.90	3.12
20+191.23	4.15	4.06	24.52	0.03	99.60	2.99
20+230.49	4.03	4.09	39.26	0.03	160.60	4.82
20+267.70	3.92	3.98	37.21	0.03	148.10	4.44
20+298.31	5.28	4.60	30.61	0.03	140.80	4.22

TABELA FREZOWANIA gr. 3, 5 cm

Zał. Nr 11

Pikietaż	Szerokość (m)	Szerzeń (m)	Odległość (m)	Grubość (m)	Powierzchnia (m ²)	Objętość (m ³)
20+328.33	4.09	4.69	30.02	0.03	140.80	4.22
20+364.20	4.10	4.10	35.87	0.03	147.10	4.41
20+395.81	4.05	4.08	31.61	0.03	129.00	3.87
20+432.12	3.94	4.00	36.31	0.03	145.20	4.36
20+467.49	4.21	4.08	35.37	0.03	144.30	4.33
20+496.96	2.50	3.36	29.47	0.05	99.00	4.95
20+533.20	1.88	2.19	36.24	0.05	79.40	3.97
20+562.12	4.38	3.13	28.92	0.05	90.50	4.53
20+596.70	3.00	3.69	34.58	0.05	127.60	6.38
20+624.18	4.10	3.55	27.48	0.03	97.60	2.93
20+663.82	4.13	4.12	39.64	0.03	163.30	4.90
20+686.09	3.91	4.02	22.27	0.03	89.50	2.69
20+715.83	2.60	3.26	29.74	0.03	97.00	2.91
20+747.49	3.94	3.27	31.66	0.05	103.50	5.18
20+770.65	0.00	1.97	23.16	0.03	45.60	1.37
20+788.20	0.00	0.00	17.55	0.03	0.00	0.00
20+820.39	0.00	0.00	32.19	0.03	0.00	0.00
20+846.06	0.00	0.00	25.67	0.03	0.00	0.00
20+876.10	0.00	0.00	30.04	0.03	0.00	0.00
20+896.77	0.00	0.00	20.67	0.03	0.00	0.00
20+927.00	0.00	0.00	30.23	0.03	0.00	0.00
20+957.25	0.00	0.00	30.25	0.03	0.00	0.00
20+980.44	0.00	0.00	23.19	0.03	0.00	0.00
21+000.29	0.00	0.00	19.85	0.03	0.00	0.00
21+034.87	0.00	0.00	34.58	0.03	0.00	0.00
21+063.82	0.00	0.00	28.95	0.03	0.00	0.00
21+097.95	0.00	0.00	34.13	0.03	0.00	0.00
21+140.16	0.00	0.00	42.21	0.03	0.00	0.00
21+169.98	0.00	0.00	29.82	0.03	0.00	0.00
21+191.64	0.00	0.00	21.66	0.03	0.00	0.00
21+225.85	0.00	0.00	34.21	0.03	0.00	0.00
21+254.39	0.00	0.00	28.54	0.03	0.00	0.00
21+284.15	0.00	0.00	29.76	0.03	0.00	0.00
21+315.50	0.00	0.00	31.35	0.03	0.00	0.00
21+337.70	0.00	0.00	22.20	0.03	0.00	0.00
21+365.08	0.00	0.00	27.38	0.03	0.00	0.00
21+387.54	0.00	0.00	22.46	0.03	0.00	0.00
21+415.02	0.00	0.00	27.48	0.03	0.00	0.00
21+446.45	0.00	0.00	31.43	0.03	0.00	0.00
21+474.33	0.00	0.00	27.88	0.03	0.00	0.00
21+507.46	0.00	0.00	33.13	0.03	0.00	0.00
21+528.65	0.00	0.00	21.19	0.03	0.00	0.00
21+561.65	0.00	0.00	33.00	0.03	0.00	0.00
21+596.65	3.00	1.50	35.00	0.03	52.50	1.58
21+632.24	3.51	3.26	35.59	0.03	116.00	3.48
21+661.85	4.17	3.84	29.61	0.03	113.70	3.41
21+692.47	4.16	4.17	30.62	0.03	127.70	3.83
21+719.74	4.16	4.16	27.27	0.03	113.40	3.40
21+760.72	4.23	4.20	40.98	0.03	172.10	5.16
21+791.67	4.23	4.23	30.95	0.03	130.90	3.93
21+820.90	2.40	3.32	29.23	0.05	97.00	4.85
21+851.29	4.14	3.27	30.39	0.05	99.40	4.97
21+876.70	4.21	4.18	25.41	0.05	106.20	5.31
21+906.69	4.25	4.23	29.99	0.03	126.90	3.81
21+935.98	4.14	4.20	29.29	0.03	123.00	3.69
21+966.35	4.13	4.14	30.37	0.05	125.70	6.29
21+997.22	4.28	4.21	30.87	0.05	130.00	6.50
22+038.26	4.06	4.17	41.04	0.05	171.10	8.56
22+067.91	4.24	4.15	29.65	0.03	123.00	3.69
22+093.28	4.13	4.19	25.37	0.05	106.30	5.32
22+127.60	3.93	4.03	34.32	0.03	138.30	4.15
22+163.70	4.06	4.00	36.10	0.03	144.40	4.33
22+193.97	4.25	4.16	30.27	0.03	125.90	3.78
22+224.22	2.37	3.31	30.25	0.05	100.10	5.01
22+259.83	4.00	3.19	35.61	0.03	113.60	3.41
22+291.10	3.09	3.55	31.27	0.05	111.00	5.55
22+321.77	4.19	3.64	30.67	0.05	111.60	5.58
22+354.06	1.90	3.05	32.29	0.03	98.50	2.96
22+383.88	3.94	2.92	29.82	0.05	87.10	4.36
22+413.73	4.01	3.98	29.85	0.03	118.80	3.56
22+444.49	4.04	4.03	30.76	0.03	124.00	3.72
22+475.93	4.13	4.09	31.44	0.03	128.60	3.86
22+507.24	4.11	4.12	31.31	0.03	129.00	3.87
22+540.46	4.19	4.15	33.22	0.03	137.90	4.14
22+580.24	0.00	2.10	39.78	0.03	83.50	2.51
22+638.60	0.00	0.00	58.36	0.03	0.00	0.00
22+670.31	0.00	0.00	31.71	0.03	0.00	0.00
22+704.11	0.00	0.00	33.80	0.03	0.00	0.00
22+734.36	0.00	0.00	30.25	0.03	0.00	0.00
22+764.49	0.00	0.00	30.13	0.03	0.00	0.00
22+795.38	0.00	0.00	30.89	0.03	0.00	0.00
22+834.04	0.00	0.00	38.66	0.03	0.00	0.00
22+854.28	0.00	0.00	20.24	0.03	0.00	0.00
22+882.25	0.00	0.00	27.97	0.03	0.00	0.00
22+915.65	0.00	0.00	33.40	0.03	0.00	0.00
22+946.83	0.00	0.00	31.18	0.03	0.00	0.00

Długość	Szerokość	Szerokość	Odległość	Grubość	Powierzchnia	Objętość
	[m]	[m]	[m]	[m]	[m ²]	[m ³]
22+985.17	0.00	0.00	38.34	0.03	0.00	0.00
23+015.60	0.00	0.00	30.43	0.03	0.00	0.00
23+066.59	0.00	0.00	50.99	0.03	0.00	0.00
23+093.86	0.00	0.00	27.27	0.03	0.00	0.00
23+122.98	4.10	2.05	29.12	0.05	59.70	2.99
23+153.01	4.18	4.14	30.03	0.05	124.30	6.22
23+175.87	4.17	4.18	22.86	0.03	95.60	2.87
23+206.49	4.16	4.17	30.62	0.03	127.70	3.83
23+232.45	4.26	4.21	25.96	0.05	109.30	5.47
23+271.74	4.31	4.29	39.29	0.03	168.60	5.06
23+305.18	4.20	4.26	33.44	0.05	142.50	7.13
23+325.64	4.14	4.17	20.46	0.05	85.30	4.27
23+359.30	4.09	4.12	33.66	0.03	138.70	4.16
23+401.99	4.23	4.16	42.69	0.05	177.60	8.88
23+440.84	4.11	4.17	38.85	0.05	162.00	8.10
23+465.52	0.00	2.06	24.68	0.03	50.80	1.52
23+492.87	4.26	2.13	27.35	0.05	58.30	2.92
23+553.92	1.83	3.05	61.05	0.05	186.20	9.31
23+584.05	0.00	0.92	30.13	0.03	27.70	0.83
23+614.44	0.00	0.00	30.39	0.03	0.00	0.00
23+648.89	0.00	0.00	34.45	0.03	0.00	0.00
23+686.24	0.00	0.00	39.35	0.03	0.00	0.00
23+718.03	0.00	0.00	29.79	0.03	0.00	0.00
23+747.04	0.00	0.00	29.01	0.03	0.00	0.00
23+775.56	0.00	0.00	28.52	0.03	0.00	0.00
23+798.25	0.00	0.00	22.69	0.03	0.00	0.00
23+815.78	0.00	0.00	17.53	0.03	0.00	0.00
23+840.90	0.00	0.00	25.12	0.03	0.00	0.00
23+889.12	0.00	0.00	48.22	0.03	0.00	0.00
23+925.38	0.00	0.00	36.26	0.03	0.00	0.00
23+941.50	0.00	0.00	16.12	0.03	0.00	0.00
23+958.93	0.00	0.00	17.43	0.03	0.00	0.00
23+989.58	0.00	0.00	30.65	0.03	0.00	0.00
24+026.14	0.00	0.00	36.56	0.03	0.00	0.00
24+056.12	0.00	0.00	29.98	0.03	0.00	0.00
24+085.55	0.00	0.00	29.43	0.03	0.00	0.00
24+112.46	0.00	0.00	26.91	0.03	0.00	0.00
24+148.68	0.00	0.00	36.22	0.03	0.00	0.00
24+215.90	0.00	0.00	67.22	0.03	0.00	0.00
24+237.52	0.00	0.00	21.62	0.03	0.00	0.00
24+264.59	0.00	0.00	27.07	0.03	0.00	0.00
24+288.54	0.00	0.00	23.95	0.03	0.00	0.00
24+313.61	3.97	1.99	25.07	0.03	49.90	1.50
24+344.81	3.91	3.94	31.20	0.03	122.90	3.69
24+374.53	3.86	3.89	29.72	0.03	115.60	3.47
24+400.04	3.88	3.87	25.51	0.05	98.70	4.94
24+427.44	3.92	3.90	27.40	0.03	106.90	3.21
24+458.17	5.51	4.72	30.73	0.03	145.00	4.35
24+483.33	3.97	4.74	25.16	0.03	119.30	3.58
24+510.72	3.97	3.97	27.39	0.03	108.70	3.26
24+534.12	3.95	3.96	23.40	0.03	92.70	2.78
24+559.36	4.00	3.98	25.24	0.03	100.50	3.02
24+591.64	3.91	3.96	32.28	0.05	127.80	6.39
24+617.31	3.84	3.88	25.67	0.05	99.60	4.98
24+641.89	1.95	2.90	24.58	0.05	71.30	3.57
24+668.22	1.76	1.86	26.33	0.05	49.00	2.45
24+703.45	2.72	2.24	35.23	0.05	78.90	3.95
24+724.93	2.18	2.45	21.48	0.05	52.60	2.63
24+759.52	3.86	3.02	34.59	0.03	104.50	3.14
24+798.08	3.97	3.92	38.56	0.05	151.20	7.56
24+832.34	3.79	3.88	34.26	0.03	132.90	3.99
24+868.15	3.96	3.88	35.81	0.05	138.90	6.95
24+909.66	2.30	3.13	41.51	0.05	129.90	6.50
24+944.93	3.94	3.12	35.27	0.03	110.00	3.30
24+982.28	4.08	4.01	37.35	0.03	149.80	4.49
25+017.31	4.01	4.05	35.03	0.03	141.90	4.26
25+053.87	1.43	2.72	36.56	0.05	99.40	4.97
25+090.86	0.00	0.72	36.99	0.03	26.60	0.80
25+130.48	3.76	1.88	39.62	0.05	74.50	3.73
25+164.62	0.00	1.88	34.14	0.03	64.20	1.93
25+194.40	3.72	1.86	29.78	0.05	55.40	2.77
25+238.11	4.05	3.89	43.71	0.05	170.00	8.50
25+275.79	4.24	4.15	37.68	0.03	156.40	4.69
25+318.03	4.31	4.28	42.24	0.03	180.80	5.42
25+342.45	3.77	4.04	24.42	0.03	98.70	2.96
25+367.27	4.11	3.94	24.82	0.05	97.80	4.89
25+392.80	4.20	4.16	25.53	0.03	106.20	3.19
25+417.29	2.98	3.59	24.49	0.05	87.90	4.40
25+446.51	3.94	3.46	29.22	0.03	101.10	3.03
25+475.10	3.73	3.84	28.59	0.05	109.80	5.49
25+500.63	3.80	3.77	25.53	0.03	96.20	2.89
25+527.29	3.77	3.79	26.66	0.05	101.00	5.05
25+554.91	3.94	3.86	27.62	0.03	106.60	3.20
25+582.98	3.96	3.95	28.07	0.05	110.90	5.55
25+609.98	3.95	3.96	27.00	0.03	106.90	3.21
25+636.05	3.81	3.88	26.07	0.05	101.20	5.06

Pikietaż	Szerokość [m]	Sr.szer. [m]	Odległość [m]	Grubość [m]	Powierzchnia [m ²]	Objętość [m ³]
25+662.14	1.92	2.87	26.09	0.05	74.90	3.75
25+685.93	3.86	2.89	23.79	0.03	68.80	2.06
25+716.54	1.52	2.69	30.61	0.05	82.30	4.12
25+745.59	0.00	0.76	29.05	0.03	22.10	0.66
25+772.57	3.78	1.89	26.98	0.03	51.00	1.53
25+798.67	3.85	3.82	26.10	0.03	99.70	2.99
25+824.70	3.59	3.72	26.03	0.05	96.80	4.84
25+866.21	3.89	3.74	41.51	0.05	155.20	7.76
25+900.10	3.62	3.76	33.89	0.03	127.40	3.82
25+927.15	1.61	2.62	27.05	0.05	70.90	3.55
25+959.48	3.82	2.72	32.33	0.03	87.90	2.64
25+987.48	3.83	3.83	28.00	0.03	107.20	3.22
26+018.19	3.97	3.90	30.71	0.03	119.80	3.59
26+048.12	0.00	1.99	29.93	0.03	59.60	1.79
SUMA:					85919	2886
frez 3 cm					70508	2115
frez 5 cm					15411	771

